



LEAD THE WAY

BIOLOGICAL ACTIVE INGREDIENTS

MYCORRHIZAL INOCULANT



Stimulate your crops with **AGTIV® POTATO • Liquid**, a highly effective **mycorrhizal inoculant**.

EASY TO USE

In liquid form, this product is adapted to the equipment used and allows for a uniform distribution when it is applied in furrow or during seed piece treatment.

EFFECTIVE


- Expands root system growth
(Increases tolerance to stresses)
- Improves crop quality
- Increases marketable yields
(tubers number and homogeneity)

PROVEN RESULTS

Growers have increased their profitability with our inoculant.

To learn more, contact your representative.

POTATO



Suitable for organic farming in accordance with regulation (CE) 834/2007

PRODUCT FEATURES

Mycorrhizal spores in liquid suspension
Concentration: 10 500 viable spores/ml
Bottle of 950 ml covers 4 ha
Packaging: insulated case of 2 bottles



POTATO • Liquid

ACTIVE INGREDIENT:

M ENDOMYCORRHIZAL INOCULUM - PTB297 Technology
Glomus intraradices: 10 500 viable spores/ml in liquid suspension

INERT INGREDIENT: Water

PARTICLE SIZE: < 0.2 mm (70 mesh)
 Contains non-soluble particles

SIZE (case)	COVERS (1 case)	CODE
2 x 950 ml – bottles	8 ha	711004

Ask for more info
 AGTIV® LIQUID
 INJECTION KIT



7 RULES TO SUCCESS

- 1 Product must be refrigerated (2-8 °C). Store the product at constant temperature at all times. **Do not freeze product.**
- 2 Use filters with openings of at least **0.28 mm (≤ 50 mesh)** to avoid clogging. **Rinse well the filters after use.**
- 3 Use **diaphragm pump** for product application (or peristaltic pump).
- 4 **Shake the bottle well** before use and maintain a **constant and effective agitation** in the tank during application.
- 5 Spray in the furrow (**maximum spray width: 18 cm**).
- 6 Apply within **6 hours** after mixing into the liquid tank.
- 7 Do not use after the **best before date** indicated on the label.



IN-FURROW APPLICATION

DIRECTIONS FOR USE

Directly in the liquid tank, pour the contents of **one** 950 ml bottle in the volume of liquid required to treat 4 hectares. **Do not divide the bottle.** Refer to this application chart. ▶
 Apply directly on seed pieces into furrow. **Follow the 7 rules to success.**

Refer to the complete list of compatible pesticides or liquid fertilizers on PTAGTIV.COM.

FLOW RATE (L/ha)	WATER (L)
47	190
57	230
66	265
76	300
85	340
95	380




SEED-PIECE TREATMENT (roller table, Mafex type, Oscar,...)

DIRECTIONS FOR USE

In a clean tank, pour the contents of **one** 950 ml bottle in the volume of liquid required to treat the amount of seed pieces for 4 hectares of seedbed. **Do not divide the bottle.** Apply directly on seed pieces. Do not treat seed pieces more than 48 hours before seeding. **Treat the seed pieces in one passage** (usual treatments + **AGTIV® POTATO • Liquid**). Refer to the complete list of compatible pesticides on PTAGTIV.COM. **Follow the 7 rules to success.**




UNTREATED WITH AGTIV®



M MYCORRHIZAE ENDOMYCORRHIZAL INOCULUM PTB297 Technology — *Glomus intraradices*

A beneficial symbiosis between a mycorrhizal fungus and roots. The mycorrhizal spores germinate in the soil and produce filaments (hyphae) which will enter into root cells. This association will allow the formation of an intra and extra-radical network of filaments that will explore the soil and access more nutrients and water, and transfer them to the plant.

- ✓ EXPAND ROOT SYSTEM GROWTH
- ✓ ENHANCE NUTRIENT & WATER UPTAKE
- ✓ INCREASE TOLERANCE TO STRESSES
- ✓ IMPROVE SOIL STRUCTURE



UNTREATED



MYCORRHIZAE AGTIV®

An exclusive aseptic production process developed by Premier Tech using standards of the high-technology industry to obtain viable mycorrhizal spores of a consistent high quality.



Premier Tech Agriculture

Le Ciron, BP 6, 49680 Vivy, FRANCE • Fax : +33 (0)2 41 52 52 88

CONTACT OUR DEDICATED TEAM TODAY. WE CARE ABOUT YOUR SUCCESS!

PTAGTIV.COM

+33 (0)2 41 52 51 71 info@ptagtiv.com