

AGTIV[®]

EFFICACY REPORT 2023

RELIABLE INOCULANTS



AGTIV[®] FUEL
Single action **rhizobium** products FUEL legumes by fixing nitrogen for better growth.

AGTIV[®] THRIVE
Dual action **mycorrhizae** and **rhizobium** products make plants THRIVE by increasing nutrient uptake.

AGTIV[®] ENRICH
Dual action **rhizobium** and **Bacillus** collaborate to ENRICH the plant's nitrogen fixation with a healthy root system.

AGTIV[®] STIMULATE
Single action **Bacillus** products STIMULATE the plant to grow more efficiently with a healthy root zone.

AGTIV[®] IGNITE
Single action **Serendipita** products IGNITE plant growth and chlorophyll content for better yields.




AGTIV[®] REACH
Single action **mycorrhizae** products REACH into the soil and help uptake more nutrients and water.

AGTIV[®]

DESIGNED BY NATURE. PERFECTED BY SCIENCE.

AGTIV[®] is an innovative technology brand made of high-quality and proven natural active ingredients that deliver superior performance for agricultural producers. We are introducing new product names reflecting the actions of our inoculants for plants. Ask your local AGTIV[®] rep or retailer to learn more about the 2023 season offer.

AGTIV[®] AVERAGE YIELD INCREASE BY CROP




		ACTIVE INGREDIENT(S)	ORGANIC	APPLICATION MODE					FORMULATION	
				GRANULAR IN-FURROW	MIXING WITH SEEDS	LIQUID IN-FURROW	LIQUID ON SEED			
CANOLA & CEREAL	AGTIV® IGNITE™ L (previously named AGTIV® IGNITE • L for Brassicaceae)									
	F: Liquid S: 11 L (11 kg) bag-in-box C: Canola: 454 kg (1000 lb) or 81 ha (200 acres) of seeds Cereals: 9165 kg (20 205 lb) or 81 ha (200 acres) of seeds	S	*					●	●	
CHICKPEA	AGTIV® THRIVE™ P CHICKPEA (previously named AGTIV® CHICKPEA • Powder)									
	F: Powder (peat) S: 4.7 kg (10.3 lb) pail C: Chickpea: 16 ha (40 acres)	M R	✓		●				●	
	AGTIV® THRIVE™ G CHICKPEA (previously named AGTIV® CHICKPEA • Granular)									
	F: Granules (peat) S: 18.2 kg (40 lb) bag – 364 kg (800 lb) tote bag C: Chickpea: Bag: 4 ha (10 acres) – Tote bag: 80 ha (200 acres)	M R	✓	●					●	
FIELD & SPECIALTY CROPS	AGTIV® REACH™ P (previously named AGTIV® FIELD CROPS – O • Powder, AGTIV® FIELD CROPS • Powder, AGTIV® FORAGES • Powder & AGTIV® SPECIALTY CROPS • Powder)									
	F: Powder (peat) S: Case of 4 x 800 g (4 x 1.75 lb) pails C: Cereals, flax & dry beans: 32 ha (80 acres) per case Alfalfa, mix forages & grass: 16 ha (40 acres) per case Vegetables, berries & garlic: see page “Specialty Crops” for details.	M	✓		●				●	
	AGTIV® REACH™ G (previously named AGTIV® FIELD CROPS • Granular & AGTIV® SPECIALTY CROPS • Granular)									
	F: Granules (peat) S: 6 kg (13.2 lb) pail – 18.2 kg (40 lb) bag – 364 kg (800 lb) tote bag C: Cereals, flax & dry beans: Bag: 4 ha (10 acres) – Tote bag: 80 ha (200 acres) Alfalfa, mix forages & grass: Bag: 45 kg of seeds (99 lb) – Tote bag: 720 kg of seeds (1584 lb) Vegetables, herbs, berries & fruit trees: see page “Specialty Crops” for details.	M	*	●					●	
	AGTIV® REACH™ L (previously named AGTIV® FIELD CROPS • Liquid)									
	F: Liquid (spores in suspension) S: Case of 2 x 950 ml (2 x 32 fl. oz) bottles C: Cereals, flax & beans: 16 ha (40 acres) per case	M	✓			●			●	
POTATO	AGTIV® REACH™ L POTATO (previously named AGTIV® POTATO • Liquid)									
	F: Liquid (spores in suspension) S: Case of 2 x 950 ml (2 x 32 fl. oz) bottles C: Potato: 8 ha (20 acres) per case	M	✓			●	●		●	

See last page for complete product recommendations.

ACTIVE INGREDIENTS		LEGEND	
M MYCORRHIZAE PTB297 Technology	B BACILLUS PTB180 Technology	F: Formulation S: Size C: Crop/Coverage	+ Eligible with EXTENDER™ L for AGTIV® inoculants ✓ For organic use * Non eligible for organic use. Contact us for more details.
R RHIZOBIUM PTB160 Technology (pea & lentil) PTB162 Technology (soybean) <i>Mesorhizobium ciceri</i> (chickpea)	S SERENDIPITA PTB299 Technology	FORMULATIONS  Liquid  Granular  Powder	





UNTREATED

WITH AGTIV®

LEGEND

- N_2 ATMOSPHERIC NITROGEN
- N FIXED NITROGEN
- P PHOSPHORUS
- K POTASSIUM
- H_2O

SPORE 100 µm

ARBUSCULE

VESICLE

RHIZOBIUM 2 µm

NODULE

BACILLUS 5 µm

ROOT HAIR

SPORE SERENDIPITA 18 – 20 µm

© Premier Tech Ltd. 2022. All rights reserved.

For nearly 100 years, Premier Tech has been growing along with producers. Being a world leader in the industrial production of mycorrhizal inoculants has inspired us to go further in our search for natural technologies. Since then, we have introduced the benefits of *Bacillus*, rhizobium, and Serendipita to the agricultural market. Furthermore, we have combined these powerful technologies to improve the quality and the yield of crops for the benefit of our clients.

Learn more at

[PTAGTIV.COM/en/technologies](https://ptagitv.com/en/technologies)

M

MYCORRHIZAE

PTB297 Technology, *Rhizophagus irregularis* (formerly known as *Glomus intraradices*)

Mycorrhizae are beneficial associations between a mycorrhizal fungus and roots. The mycorrhizal spores germinate in the soil and produce filaments (hyphae) which enter into root cells. This association allows the formation of an intra and extra-radical network of filaments that explore the soil and access more nutrients and water, and transfer them to the plant.

- ✓ EXPAND ROOT SYSTEM GROWTH
- ✓ ENHANCE NUTRIENT & WATER UPTAKE
- ✓ INCREASE TOLERANCE TO STRESSES
- ✓ IMPROVE SOIL STRUCTURE

R

RHIZOBIUM

PTB160 Technology (pulses), *Rhizobium leguminosarum* biovar *viciae*

PTB162 Technology (soybean), *Bradyrhizobium japonicum*

Mesorhizobium ciceri (chickpea)

Rhizobium bacteria live and thrive in symbiosis in root nodules produced by the plant. They are responsible for fixing the atmospheric nitrogen and making it available for the plant.

- ✓ FIX NITROGEN & MAKE IT AVAILABLE TO THE PLANT

B

BACILLUS

PTB180 Technology, *Bacillus pumilus*

Bacillus is a bacteria that provides a healthy root zone which leads to better yields. As a root colonizer, it stimulates the plant to grow more efficiently. Selected for its beneficial action of growth stimulation.

- ✓ IMPROVES ROOTING ENVIRONMENT & PLANT ESTABLISHMENT
- ✓ INCREASES PLANT VIGOR & PERFORMANCE



S

SERENDIPITA

PTB299 Technology, *Serendipita indica* (formerly known as *Piriformospora indica*)

The beneficial fungus *Serendipita indica*, a natural microorganism, forms an association with roots of many plants such as canola and cereals. It induces some of the plant gene expression and promotes phytohormone production.

- ✓ MITIGATES ABIOTIC STRESSES
- ✓ INCREASES CHLOROPHYLL CONTENT
- ✓ BETTER PLANT ESTABLISHMENT, GROWTH AND YIELD



EFFICACY REPORT

SUMMARY – MYCORRHIZAL & RHIZOBIAL INOCULANT

► PLOT & STRIP TRIALS

Research partners: GMAC's Ag Team, Wheatland Conservation Area, Prairie Ag Research Inc., and Small Plot Inc.

Research sites: Saskatchewan and Alberta

Treatments: a) AGTIV® THRIVE™* PEA & LENTIL;
b) Competitor inoculant A*;
c) Competitor inoculant B*;
d) Competitor inoculant C*;
e) Competitor inoculant D*.

Experimental design: 57 replicated plots per treatment (four trials with 6, one with 7, three with 8 and one strip trial with two replicated) in randomized complete block design

*Products applied according to manufacturers recommended rate.



LENTIL

Table 1. Summary of Lentil yields (bu/ac) per trial.

Location	Year	AGTIV® THRIVE™ PEA & LENTIL	Competitor inoculant			
			A	B	C	D
Brock (SK)	2015	18.4	13.4	11.4		
Swift Current (SK)	2016	50.1	43.3	41.1	37.7	
Coalhurst (AB)	2017	19.5	19.1	19.2	18.5	
Vulcan (AB)	2019	32.6	28.8			28.4
Lethbridge (AB)	2021	46.8		46.4		
Vulcan (AB)	2021	10.0		8.4		
Lethbridge (AB)	2022	32.0		31.9		
Vulcan (AB)	2022	38.7		38.3		
Swift Current (SK)	2022	35.0		32.6		

Table 2. Summary of Lentil yields (kg/ha) per trial.

Location	Year	AGTIV® THRIVE™ PEA & LENTIL	Competitor inoculant			
			A	B	C	D
Brock (SK)	2015	1237	901	766		
Swift Current (SK)	2016	3367	2910	2762	2533	
Coalhurst (AB)	2017	1310	1284	1290	1243	
Vulcan (AB)	2019	2192	1937			1910
Lethbridge (AB)	2021	3145		3118		
Vulcan (AB)	2021	672		564		
Lethbridge (AB)	2022	2150		2144		
Vulcan (AB)	2022	2601		2574		
Swift Current (SK)	2022	2352		2191		

EFFICACY REPORT

2022 – MYCORRHIZAL & RHIZOBIAL INOCULANT

► PLOT TRIAL

Research partner: Prairie Ag Research Inc.

Research site: Lethbridge, AB

Treatments: a) Untreated Check
b) AGTIV® THRIVE™ PEA & LENTIL*
c) Competitor inoculant B*

* Granular inoculant applied according to manufacturer's recommended rate

Experimental design: Complete Randomized Block Design, 8 repetitions, 12 m² plots

Variety: Impulse

Previous crop: Fallow

Seeding details: Seeded on May 23, 2022, with a cone seeder at a rate of 50 kg/ha in a clay loam soil (pH: 7.4, OM: 4%). Emergence on May 30.



LENTIL

Table 1. Summary of yields per treatment.

Treatment	Yield (bu/ac)	Yield increase (bu/ac)
Untreated Check	30.1	-
AGTIV® THRIVE™ PEA & LENTIL	32.0	1.9
Competitor inoculant B	31.9	1.8

Plot operational notes and rain fall.

- Fertilization of 50.4-221.8-2598-21.3 NPKS on May 5
- Pesticides:
 - May 20, Glyphosate (pre seeding burn off)
 - June 30, Odyssey and Merge (broadleaf weeds)
- Harvested on September 7, 2022

Month	Precipitation (mm)
May	35.8
June	114.5 *
July	57.4
August	31.7 *
TOTAL	239.4

* Plots were irrigated during those months



EFFICACY REPORT

2022 – MYCORRHIZAL & RHIZOBIAL INOCULANT

► PLOT TRIAL

Research partner: Small Plot Inc.

Research site: Vulcan, AB

Treatments: a) Untreated Check
b) AGTIV® THRIVE™ PEA & LENTIL*
c) Competitor inoculant B*

* Granular inoculant applied according to manufacturer's recommended rate

Experimental design: Complete Randomized Block Design, 6 repetitions, 16 m² plots

Variety: Impulse

Previous crop: Fallow

Seeding details: Seeded on May 12, 2022, with a plot drilling machine at a rate of 89 kg/ha in a loam soil (pH: 7, OM: 3.5 %). Emergence on May 30.



LENTIL

Table 1. Summary of yields per treatment.

Treatment	Yield (bu/ac)	Yield increase (bu/ac)
Untreated Check	37.1	-
AGTIV® THRIVE™ PEA & LENTIL	38.7	1.6
Competitor inoculant B	38.3	1.2

Plot operational notes and rain fall.

- Fertilization of 11-51-0-0 sidebanded at seeding on May 12
- Pesticides:
 - July 3: Applied Odyssey NXT for post herbicide weed control
 - Applied ZIVATA for grasshopper control twice
- Harvested on August 30, 2022

Month	Precipitation (mm)
May	9.8
June	136.8
July	86.0
August	18.1
TOTAL	250.7

EFFICACY REPORT

2022 – MYCORRHIZAL & RHIZOBIAL INOCULANT

► PLOT TRIAL

Research partner: Wheatland Conservation Area

Research site: Swift Current, SK

Treatments: a) Untreated Check
b) AGTIV® THRIVE™ PEA & LENTIL*
c) Competitor inoculant B*

* Granular inoculant applied according to manufacturer's recommended rate

Experimental design: Complete Randomized Block Design, 8 repetitions, 17 m² plots

Variety: Impulse

Previous crop: Wheat

Seeding details: Seeded on May 6, 2022, with a cone seeder at a rate of 67 kg/ha in a sandy loam soil (pH: 6.1, OM: 2.7 %) Emergence on May 27.



LENTIL

Table 1. Summary of yields per treatment.

Treatment	Yield (bu/ac)	Yield increase (bu/ac)
Untreated Check	32.9	-
AGTIV® THRIVE™ PEA & LENTIL	35.0	2.1
Competitor inoculant B	32.6	-

Plot operational notes and rain fall.

- Fertilization of 11-52-0 sidebanded at seeding (100kg/ha) on May 6.
- Pesticides:
 - May 2, RT540 (pre seeding burn off)
 - June 7, Centurion + AMIGO (post emergence weed control)
 - June 16, Solo ADV herbicide (broadleaf weed control)
 - July 27, Proline GOLD (sclerotinia control)
 - August 8, Reglone (desiccant)
- Harvested on August 8, 2022

Month	Precipitation (mm)
May	51.2
June	37.7
July	90.4
August	7.5
TOTAL	186.8



EFFICACY REPORT

SUMMARY – MYCORRHIZAL & RHIZOBIAL INOCULANT

► PLOT TRIALS

Research partners: ICMS, Wheatland Conservation Area and Ag-Quest inc.

Research sites: Alberta, Saskatchewan and Manitoba

Treatments: a) AGTIV® THRIVE™ PEA & LENTIL*;
b) Competitor inoculant A*;
c) Competitor inoculant B*;
d) Competitor inoculant D*.

Experimental design: 51 replicated plots per treatment (five trials with 6, two with 8 and one with 5) in randomized complete block design

*Products applied according to manufacturers recommended rate.



PEA

Table 1. Summary of Pea yields (bu/ac) per trial.

Location	Year	Seed variety	AGTIV® THRIVE™ PEA & LENTIL	Competitor inoculant		
				A	B	D
Fort Saskatchewan (AB)	2015	Meadow	88.6	86.2	79.5	
Swift Current (SK)	2017	Amarillo	14.0	12.7	12.4	
Saskatoon (SK)	2019	AAC Ardill	65.0	52		63.2
Portage la Prairie (MB)	2021	Carver	45.2		41.3	
Josephburg (AB)	2022	Striker	45.4		46.6	
Saskatoon (SK)	2022	ACC Ardill	36.4		35.8	
Saskatoon (SK)	2022	CDC Spectrum	30.7		28.8	
Swan River (MB)	2022	Inca	91.5		87.1	

Table 2. Summary of Pea yields (kg/ha) per trial.

Location	Year	Seed variety	AGTIV® THRIVE™ PEA & LENTIL	Competitor inoculant		
				A	B	D
Fort Saskatchewan (AB)	2015	Meadow	5958	5793	5342	
Swift Current (SK)	2017	Amarillo	941	853	833	
Saskatoon (SK)	2019	AAC Ardill	4371	3497		4250
Portage la Prairie (MB)	2021	Carver	3037		2775	
Josephburg (AB)	2022	Striker	3051		3132	
Saskatoon (SK)	2022	ACC Ardill	2446		2406	
Saskatoon (SK)	2022	CDC Spectrum	2063		1935	
Swan River (MB)	2022	Inca	6149		5853	

EFFICACY REPORT

2022 – MYCORRHIZAL & RHIZOBIAL INOCULANT

► PLOT TRIAL

Research partner: Integrated Crop Management Services (ICMS)

Research site: Josephburg, AB

Treatments: a) Untreated Check
b) AGTIV® THRIVE™ PEA & LENTIL
c) Competitor inoculant B*

* Granular inoculant applied according to manufacturer's recommended rate

Experimental design: Complete Randomized Block Design, 8 repetitions, 15 m² plots

Variety: Striker

Previous crop: Fallow

Seeding details: Seeded on June 20, 2022, with a cone seeder at a rate of 160 kg/ha in a loam soil (pH: 5.7, OM: 8%). Emergence on July 3.



PEA

Table 1. Summary of yields and protein content per treatment.

Treatment	Yield (bu/ac)	Yield increase (bu/ac)	Protein content (%)
Untreated Check	44.1	-	21.3
AGTIV® THRIVE™ PEA & LENTIL	45.4	1.3	22.2
Competitor inoculant B	46.6	2.5	20.9

Plot operational notes and rain fall.

- Fertilization of 80-30-20-20 NPKS pre seeding
- Pesticides:
 - June 1, Roundup WeatherMAX (Pre seed burn off)
 - Odyssey + Merge (broadleaf weeds)
- Harvested on September 20, 2022

Month	Precipitation (mm)
June	109.3
July	35.0
August	34.4
September	10.6
TOTAL	189.3

EFFICACY REPORT

2022 – MYCORRHIZAL & RHIZOBIAL INOCULANT

► PLOT TRIAL

Research partner: Integrated Crop Management Services (ICMS)

Research site: Saskatoon, SK

Treatments: a) Untreated Check
b) AGTIV® THRIVE™ PEA & LENTIL
c) Competitor inoculant B*

* Granular inoculant applied according to manufacturer's recommended rate

Experimental design: Complete Randomized Block Design, 8 repetitions, 15 m² plots

Variety: ACC Ardill

Previous crop: Wheat

Seeding details: Seeded on May 26, 2022, with a cone seeder at a rate of 225 kg/ha in a clay soil (pH: 8, OM: 8.8%). Emergence on June 15.



PEA

Table 1. Summary of yields and protein content per treatment.

Treatment	Yield (bu/ac)	Yield increase (bu/ac)	Protein content (%)
Untreated Check	34.8	-	17.5
AGTIV® THRIVE™ PEA & LENTIL	36.4	1.6	18.0
Competitor inoculant B	35.8	1.0	17.1

Plot operational notes and rain fall.

- Fertilization of 80-20-10-20 NPKS pre seeding + 28% Urea Ammonium Nitrate on July 4
- Pesticides:
 - July 4, Viper ADV (to control emerged weeds)
 - August 31, Reglone Ion (Desiccant)
- Harvested on September 6, 2022

Month	Precipitation (mm)
May	25.8
June	38.0
July	46.5
August	25.6
TOTAL	135.9

EFFICACY REPORT

2022 – MYCORRHIZAL & RHIZOBIAL INOCULANT

► PLOT TRIAL

Research partner: Ag-Quest inc.

Research site: Saskatoon, SK

Treatments: a) Untreated Check
b) AGTIV® THRIVE™ PEA & LENTIL
c) Competitor inoculant B*

* Granular inoculant applied according to manufacturer's recommended rate

Experimental design: Complete Randomized Block Design, 6 repetitions, 8.2 m² plots

Variety: CDC Spectrum

Previous crop: Oats

Seeding details: Seeded on May 27, 2022, with a cone seeder and a techno till drill opener at a rate of 160 kg/ha in a loam soil (pH: 5.8, OM: 3.5%). Emergence on June 3.



PEA

Table 1. Summary of yields per treatment.

Treatment	Yield (bu/ac)	Yield increase (bu/ac)
Untreated Check	27.2	-
AGTIV® THRIVE™ PEA & LENTIL	30.7	3.5
Competitor inoculant B	28.8	1.6

Plot operational notes and rain fall.

- Fertilization of 11-52-0 side banded (72 kg/ha)
- Pesticides:
 - May 11, Roundup WeatherMAX + Aim EC (Pre seed burn off)
 - June 8, Centurion (post emergence herbicide)
 - June 21, July 4 & 12, Basagran Forté + Assure II (post emergence herbicide)
 - August 6, Matador herbicide (flea beetle control)
 - August 16, Reglone Ion (Desiccant)
- Harvested on August 24, 2022

Month	Precipitation (mm)
May	27.3
June	37.1
July	41.3
August	15.8
TOTAL	121.5

EFFICACY REPORT

2022 – MYCORRHIZAL & RHIZOBIAL INOCULANT

► PLOT TRIAL

Research partner: New Era Ag Research and Technologies

Research site: Swan River, MB

Treatments: a) Untreated Check
b) AGTIV® THRIVE™ PEA & LENTIL*
c) Competitor inoculant B*

* Granular inoculant applied according to manufacturer's recommended rate

Experimental design: Complete Randomized Block Design, 6 repetitions, 15 m² plots

Variety: Inca

Previous crop: Canola

Seeding details: Seeded on May 24, 2022, with a cone seeder at a rate of 286 kg/ha in a clay loam soil (pH: 6.5, OM: 5.3 %). Emergence on June 3.



PEA

Table 1. Summary of yields per treatment.

Treatment	Yield (bu/ac)	Yield increase (bu/ac)
Untreated Check	85.3 ^b	-
AGTIV® THRIVE™ PEA & LENTIL	91.5 ^a	6.2
Competitor inoculant B	87.1 ^b	1.8

¹ Yields with same letter are not statistically different according to a Tukey HSD test (p≤0.1).

Plot operational notes and rain fall.

- Fertilization of MAP 11-52-0 on May 25
- Pesticides:
 - June 9, Coragen & Pounce (for cutworm & flea beetle control)
 - June 22, Viper ADV (post emergence weed control)
 - July 18, Priaxor (white mold control)
 - August 25, Guardsman (Desiccant)
- Harvested on August 31, 2022

Month	Precipitation (mm)
May	14.5
June	80.0
July	32.3
August	48.8
September	58.9
TOTAL	234.5

EFFICACY REPORT

SUMMARY – MYCORRHIZAL & RHIZOBIAL INOCULANT

► PLOT & STRIP TRIALS

Research partners: ICMS, AgQuest, New Era Ag research, Stoney Ridge Ag Services, South East Research Farm (SERF), Tall Pines Agricultural Research Ltd and Black Creek Research.

Research sites: Manitoba and Ontario

Treatments: a) AGTIV® THRIVE™ SOYBEAN*;
b) Competitor inoculant A*;
c) Competitor inoculant B*;
d) Competitor inoculant C*;
e) Competitor inoculant D*;
f) Competitor inoculant E*.

Experimental design: Total of 86 replicated plots per treatment in randomized complete block design, and one strip trial with 2 replicated strips.

*Products applied according to manufacturers recommended rate.



SOYBEAN

Table 1. Summary of Soybean yields (bu/ac)¹ per trial².

Location	Year	Seed variety	AGTIV® THRIVE™ SOYBEAN	Competitor inoculant				
				A	B	C	D	E
Morden (MB)	2015	Northstar, Anola	31.8 ^a	27.8 ^b	30.5 ^{a,b}			
Portage La Prairie (MB)	2015	Pride Seeds, PS0035	57.3	55.4	58.2			
Oakville (MB)	2016	Legend Seeds, Eclipse	79.7	77.8	77.7			
Swan River (MB)	2017	Prograin, Dario	40.7 ^a	35.0 ^{b,c}		32.5 ^c		
Portage La Prairie (MB)	2017	Northstar, Richer	58.3	54.5	54.5	54.7		
Binscarth (MB)	2017	Pioneer Ultra Early	30.11 ^a	27.71 ^b	28.99 ^{a,b}	28.46 ^b		
Redvers (SK)	2018	Prograin, Dario	31.1	28.2	25.8			
Swan River (MB)	2018	Prograin, Dario	57.7	47.2	54.3	55.5		
Portage La Prairie (MB)	2018	Secan, Barker	49.4	47.2	47.8			
Elm Creek (MB)	2019	Gray R2	37.1	36.9			35.9	
Redvers (SK)	2019	NSC Watson RR2Y	16.3	14.9		15.8		
Swan River (MB)	2019	Syngenta M2	35.7 ^a	29.9 ^b		35.7 ^a		
Redvers (SK)	2022	NSC Redvers	54.9	53.7				
Portage La Prairie (MB)	2022	NSC Redvers RR2X	64.9	63.4				

¹ Average yields followed by different letters are significantly different at p≤0.05.

² To obtain kg/ha results, multiply bushels per 60 and then by 1.12085 (n*60*1.12085).

EFFICACY REPORT

2022 – MYCORRHIZAL & RHIZOBIAL INOCULANT

► PLOT TRIAL

Research partner: South East Research Farm (SERF)

Research site: Redvers, SK

Treatments: a) Untreated Check (No granular product)
b) AGTIV® THRIVE™ SOYBEAN*
c) Competitor inoculant A*

* Granular inoculant applied according to manufacturer's recommended rate

Experimental design: Complete Randomized Block Design, 6 repetitions, 12 m² plots

Variety: NSC Redvers (seeds pretreated with a commercial rhizobium)

Previous crop: Pea

Seeding details: Seeded on June 8, 2022, with a cone seeder at a rate of 80 kg/ha in a loam soil (pH: 7.6, OM: 4.2 %).



SOYBEAN

Table 1. Summary of soybean yields per treatment.

Treatment	Yield (bu/ac)	Yield increase (bu/ac)
Untreated Check	52.9	-
AGTIV® THRIVE™ SOYBEAN	54.9	2.0
Competitor inoculant A	53.7	0.8

Plot operational notes and rain fall.

- Fertilization of 5-22-0 at seeding
- Pesticides:
 - June 9, Roundup pre burn
 - July 6, Roundup
- Harvested on October 5, 2022

Month	Precipitation (mm)
May	121.0
June	75.0
July	259.0
August	25.2
September	15.0
TOTAL	465.2



EFFICACY REPORT

2022 – MYCORRHIZAL & RHIZOBIAL INOCULANT

► PLOT TRIAL

Research partner: Integrated Crop Management Services (ICMS)

Research site: Portage la Prairie, MB

Treatments: a) Untreated Check (no granular product)
b) AGTIV® THRIVE™ SOYBEAN*
c) Competitor inoculant A*

* Granular inoculant applied according to manufacturer's recommended rate

Experimental design: Complete Randomized Block Design, 6 repetitions, 21 m² plots

Variety: NSC Redvers RR2X (seeds pretreated with a commercial rhizobium)

Previous crop: Wheat

Seeding details: Seeded on June 17, 2022, with a cone seeder at a rate of 140 kg/ha in a clay loam soil (pH: 8.2, OM: 6.7 %). Emergence on June 22.


Table 1. Summary of soybean yields per treatment.

Treatment	Yield (bu/ac)	Yield increase (bu/ac)
Untreated Check	63.0	-
AGTIV® THRIVE™ SOYBEAN	64.9	1.9
Competitor inoculant A	63.4	0.4

Plot operational notes and rain fall.

- No Fertilization
- Pesticides:
 - June 24 & July 14, Roundup WeatherMAX (post emergence weed control)
- Harvested on October 11, 2022

Month	Precipitation (mm)
May	140.7
June	70.3
July	96.3
August	89.0
September	50.3
TOTAL	446.6



SOYBEAN

EFFICACY REPORT

SUMMARY – MYCORRHIZAL INOCULANT

► GROWER SPLIT FIELDS


Table 1. **Average yield increase with AGTIV® REACH™**
for different years (2014 to 2020) in Canada.

Year	Number of sites	Average increase (lb/ac)	Average increase (kg/ha)	Average increase (%)
2014	2	337	378	13
2015	2	482	542	17.3
2016	5	130	146	5.5
2017	2	146	164	5.1
2020	1	462	518	10.7
Total	12 sites	252 lb/ac	283 kg/ha	9.0%



DRY BEAN

Figure 1. **Average yield with AGTIV® REACH™ in Canada (2014 to 2020).**



Faster plant development, larger plants
and quicker row closure with AGTIV®.

EFFICACY REPORT

2022 – MYCORRHIZAL & RHIZOBIAL INOCULANT

► PLOT TRIAL

Research partner: Prairie Ag Research

Research site: Lethbridge, AB

Treatments: a) Untreated Check
b) AGTIV® THRIVE™ CHICKPEA*
c) Competitor inoculant B*

* Granular inoculant applied according to manufacturer's recommended rate

Experimental design: Complete Randomized Block Design, 6 repetitions, 12 m² plots

Variety: Alma Clearfield Kabuli

Previous crop: Fallow

Seeding details: Seeded on May 23, 2022, with a cone seeder at a rate of 150 kg/ha in a clay loam soil (pH: 7.4, OM: 4 %). Emergence on June 3.



CHICKPEA

Table 1. Summary of yields per treatment.

Treatment	Yield (bu/ac)	Yield increase (bu/ac)
Untreated Check	36.1	-
AGTIV® THRIVE™ CHICKPEA	43.2	7.1
Competitor inoculant B	41.2	5.1

Plot operational notes and rain fall.

- Fertilization of 50.4-221.8-2598-21.3 NPKS on May 5
- Pesticides:
 - May 20, Glyphosate (pre seeding burn off)
 - June 30, Odyssey and Merge (broadleaf weeds)
- Harvested on September 14, 2022

Month	Precipitation (mm)
May	35.8
June	114.5*
July	57.4
August	31.7*
TOTAL	239.4

* Plots were irrigated during those months

EFFICACY REPORT

2022 – MYCORRHIZAL & RHIZOBIAL INOCULANT

► PLOT TRIAL

Research partner: Ag-Quest inc.

Research site: Taber, AB

Treatments: a) Untreated Check
b) AGTIV® THRIVE™ CHICKPEA*
c) Competitor inoculant B*

* Granular inoculant applied according to manufacturer's recommended rate

Experimental design: Complete Randomized Block Design, 6 repetitions, 10 m² plots

Variety: CDC Pearl

Previous crop: Rye

Seeding details: Seeded on May 27, 2022, with a cone seeder at a rate of 150 kg/ha in a sandy loam soil (pH: 7.9, OM: 2.1%). Emergence on June 13.



CHICKPEA

Table 1. Summary of yields per treatment.

Treatment	Yield (bu/ac) ¹	Yield increase (bu/ac)
Untreated Check	37.2 ^a	-
AGTIV® THRIVE™ CHICKPEA	41.7 ^b	4.5
Competitor inoculant B	39.4 ^{ab}	2.2

¹ Yields with the same letter are not statistically different according to a LSD test (p≤0.05).

Plot operational notes and rain fall.

- Fertilization of P₂O₅ pre seeding (36 kg/ha)
- Pesticides:
 - May 28, Authority + Roundup Transorb (pre-emergence burn off)
 - June 27, Select + AMIGO (post emergence weed control)
 - June 28, Solo + Merge post emergence weed control)
 - July 2, TOUGH (broadleaf weeds control)
- Harvested on September 23, 2022

Month	Precipitation (mm)
May	17.5
June	140.5 *
July	204.3 *
August	84.9 *
September	9.7
TOTAL	456.9

* Plots were irrigated during those months

EFFICACY REPORT

SUMMARY – SERENDIPITA ON SEED INOCULANT

► GROWER SPLIT FIELDS AND PLOT TRIALS

Table 1. Average increase of canola yield with AGTIV® IGNITE™ L for different years (2018-2022).

Year	Number of sites	Untreated check (bu/ac)	AGTIV® IGNITE • L yield (bu/ac)	Yield increase (bu/ac)
2018	1	63.5	68.0	4.5
2019	6	44.6	47.1	2.5
2020	5	37.2	39.6	2.4
2021	8	32.5	35.0	2.5
2022	7	33.6	36.2	2.6
Total	27 sites	37.2^a	39.7^b	2.5 bu/ac *

*Summary of means for AGTIV® IGNITE™ are significantly different following a combined site ANOVA and a Tukey test ($p < 0.05$) $p < 0.001$

Table 2. Average increase of canola oil content with AGTIV® IGNITE™ L for different years (2019-2022).

Year	Number of sites	Untreated check (oil %)	AGTIV® IGNITE • L (oil %)	Oil increase (%)
2019	3	41.2	42.1	1.0
2020	4	39.2	40.6	1.4
2021	5	38.1	38.5	0.5
2022	7	35.3	36.1	0.8
Total	19 sites	37.8^a	38.7^b	0.9%*

*Summary of means for AGTIV® IGNITE™ are significantly different following a combined site ANOVA and a Tukey test ($p < 0.1$) $p = 0.05$



CANOLA

EFFICACY REPORT

SUMMARY – SERENDIPITA ON SEED INOCULANT

► GROWER SPLIT FIELDS AND PLOT TRIALS

Table 1. Summary of canola yield trials for different sites (2018-2022).

Year	site	Untreated check yield (bu/ac)	AGTIV® IGNITE™ L yield (bu/ac)	Yield increase (bu/ac)
2018	Swan River	63.5	68	4.5
2019	Josephburg	46.8	53.2	6.4
2019	Portage la Prairie	78	78	0
2019	Saskatoon	38.8	41.8	3
2019	Swan River	53.7	55.4	1.7
2019	Taber	25.4	27	1.6
2019	Swift Current	25	27.1	2.1
2020	Josephburg	47.2	49.5	2.3
2020	Moon Lake	16.3	18.2	1.9
2020	Farm Beechy	24.2	27.8	3.6
2020	Swan River	61.2	64	2.8
2020	Taber	37.3	38.5	1.2
2021	Josephburg	23.9	25.0	1.1
2021	Saskatoon	10.3	12.5	2.2
2021	Elm Creek	36.2	37.2	1
2021	Swan River	46.9	48.2	1.3
2021	Portage la Prairie	36.3	38.9	2.6
2021	Westline Farms	29.7	32.5	2.8
2021	Lillico Farms	26.4	31.5	5.1
2021	Sandy Ridge Farms	41.8	44.1	2.3
2022	Saskatoon	19.6	21.0	1.4
2022	Portage la Prairie	29.3	32.8	3.5
2022	Taber	28.2	32.7	4.5
2022	Elm Creek	46.1	48	1.9
2022	Alma	20.0	21.4	1.4
2022	Redvers	32.2	34.1	1.9
2022	Swan River	60.0	62.2	2.2
Total	27 sites	37.2^a	39.7^b	2.5 bu/ac *

*Summary of means for **AGTIV® IGNITE™** are significantly different following a combined site ANOVA and a Tukey test ($p < 0.05$) $p = 0.001$



CANOLA

EFFICACY REPORT

SUMMARY – SERENDIPITA ON SEED INOCULANT

► GROWER SPLIT FIELDS AND PLOT TRIALS

Table 1. Summary of canola oil content trials for different sites (2019-2022).

Year	Site	Untreated check oil (%)	AGTIV® IGNITE™ L oil (%)	oil increase (%)
2019	Josephburg	28.1	28.6	0.6
2019	Portage la Prairie	45.5	45.7	0.2
2019	Swan River	49.9	52.1	2.1
2020	Moon Lake	41.60	43.19	1.6
2020	Taber	41.70	42.13	0.4
2020	Jospehburg	34.70	36.60	1.9
2020	Swan River	38.70	40.50	1.8
2021	Josephburg	39.1	39.7	0.6
2021	Saskatoon	41.8	42.1	0.3
2021	Elm Creek	35.1	37.1	2.0
2021	Swan River	37.8	37.8	0.0
2021	Portage la Prairie	36.6	36	-0.6
2022	Saskatoon	36.6	36.3	-0.3
2022	Taber	32.1	32.9	0.8
2022	Redvers	36.6	36.5	-0.1
2022	Swan River	37.3	37.7	0.4
2022	Portage la Prairie	30.6	35.2	4.6
2022	Elm Creek	37.7	37.3	-0.4
2022	Alma	36.3	36.9	0.6
Total	19 sites	37.8 ^a	38.7 ^b	0.9 %*

*Summary of means for AGTIV® IGNITE™ are significantly different following a combined site ANOVA and a Tukey test ($p < 0.1$) $p = 0.05$



CANOLA

EFFICACY REPORT

2022 – SERENDIPITA ON SEED INOCULANT

► PLOT TRIAL

Research partner: Integrated Crop Management Services (ICMS)

Research site: Saskatoon, SK

Treatments: a) Untreated Check
b) AGTIV® IGNITE™ L*

* Liquid inoculant applied according to manufacturer's recommended rate

Experimental design: Complete Randomized Block Design, 6 repetitions, 30 m² plots

Variety: PIONEER P509-L Treated with Lumiderm, LumiGen and Helix vibrance

Previous crop: Wheat

Seeding details: Seeded on May 26, 2022, with a cone seeder at a rate of 7 kg/ha in a clay soil (pH: 8.0, OM: 8.8 %). Emergence on June 21.



CANOLA

Table 1. Summary of yields per treatment.

Treatment	Yield (bu/ac)	Yield increase (bu/ac)	Oil content (%)
Untreated Check	19.6	-	36.6
AGTIV® IGNITE™ L	21.0	1.4	36.3

Plot operational notes and rain fall.

- Fertilizer blend of 80-30-10-20 incorporated in tillage prior to seeding
- Pesticides:
 - July 4, Liberty 150 herbicide (post emergence weeds)
 - August 18, Decis 5EC (flea beetle and grasshopper control)
 - September 6, Reglone Ion (desiccant)
- Harvested on September 16, 2022

Month	Precipitation (mm)
May	25.8
June	38.0
July	46.5
August	25.6
September	6.8
TOTAL	142.7

EFFICACY REPORT

2022 – SERENDIPITA ON SEED INOCULANT

► PLOT TRIAL

Research partner: Integrated Crop Management Services (ICMS)

Research site: Portage la Prairie, MB

Treatments: a) Untreated Check
b) AGTIV® IGNITE™ L*

* Liquid inoculant applied according to manufacturer's recommended rate

Experimental design: Complete Randomized Block Design, 6 repetitions, 30 m² plots

Variety: DEKALB 75-65 RR Treated with Prosper Evergol

Previous crop: Carrots

Seeding details: Seeded on June 17, 2022, with a cone planter at a rate of 8.2 kg/ha in a clay soil (pH: 7.7, OM: 6.9 %). Emergence on June 23.



CANOLA

Table 1. Summary of yields per treatment.

Treatment	Yield (bu/ac)	Yield increase (bu/ac)	Oil content (%)
Untreated Check	29.3	-	30.6
AGTIV® IGNITE™ L	32.8	3.5	35.2

Plot operational notes and rain fall.

- No fertilization
- Pesticides:
 - June 24, Roundup WeatherMAX (volunteer canola control) & Sevin XLR (flea beetle control)con
 - July 14, Roundup WeatherMAX (post emergence weeds control)
 - Harvested on September 26, 2022

Month	Precipitation (mm)
May	140.7
June	70.3
July	96.3
August	89.0
September	50.3
TOTAL	446.6

EFFICACY REPORT

2022 – SERENDIPITA ON SEED INOCULANT

► PLOT TRIAL

Research partner: Ag-Quest Inc.

Research site: Taber, AB

Treatments: a) Untreated Check
b) AGTIV® IGNITE™ L*

* Liquid inoculant applied according to manufacturer's recommended rate

Experimental design: Complete Randomized Block Design, 6 repetitions, 30 m² plots

Variety: DEKALB DKTF96 SC Treated with Buteo, Prosper EverGol and Fortenza

Previous crop: Rye

Seeding details: Seeded on May 24, 2022, with a cone seeder at a rate of 8 kg/ha in a loam soil (pH: 7.8, OM: 2.6 %). Emergence on June 6.



CANOLA

Table 1. Summary of yields per treatment.

Treatment	Yield (bu/ac)	Yield increase (bu/ac)	Oil content (%)
Untreated Check	28.8	-	32.1
AGTIV® IGNITE™ L	32.7	3.9	32.9

Plot operational notes and rain fall.

- Fertilizer blend of 0-58-17 harrowed on May 16, prior to seeding
- Pesticides:
 - May 18, June 9, 17 & 29, Roundup Transorb (Pre and post seeding herbicide)
 - June 22, July 6 & 15, Sevin XLR Plus & Decis (flea beetle control)
- Harvested on August 31, 2022

Month	Precipitation (mm)
May	55.1
June	78.2
July	204.3*
August	89.3*
TOTAL	426.9

* Plots were irrigated during those months

EFFICACY REPORT

2022 – SERENDIPITA ON SEED INOCULANT

► PLOT TRIAL

Research partner: Ag-Quest Inc.

Research site: Elm Creek, MB

Treatments: a) Untreated Check
b) AGTIV® IGNITE™ L*

* Liquid inoculant applied according to manufacturer's recommended rate

Experimental design: Complete Randomized Block Design, 6 repetitions, 34 m² plots

Variety: In Vigor L233P Treated with Lumiderm

Previous crop: Rye

Seeding details: Seeded on June 5, 2022, with a cone seeder at a rate of 5.5 kg/ha in a sandy loam soil (pH: 8.3, OM: 2.2 %). Emergence on June 10.



CANOLA

Table 1. Summary of yields per treatment.

Treatment	Yield (bu/ac)	Yield increase (bu/ac)	Oil content (%)
Untreated Check	46.1	-	37.7
AGTIV® IGNITE™ L	48.0	1.9	37.3

Plot operational notes and rain fall.

- Broadcast fertilizer blend of 137-36-22-28 prior to seeding
- Pesticides:
 - June 17, Liberty (emerged weeds control)
 - July 1, Centurion + AMIGO (grassy weeds control)
 - July 1, Coragen (grasshopper control)
 - September 8, Reglone Ion (Desiccant)
- Harvested on September 13, 2022

Month	Precipitation (mm)
May	131.0
June	65.6
July	92.6
August	57.6
September	30.8
TOTAL	377.6

EFFICACY REPORT

2022 – SERENDIPITA ON SEED INOCULANT

► PLOT TRIAL

Research partner: Wellington Agricultural Research

Research site: Alma, ON

Treatments: a) Untreated Check
b) AGTIV® IGNITE™ L*

* Liquid inoculant applied according to manufacturer's recommended rate

Experimental design: Complete Randomized Block Design, 6 repetitions, 10 m² plots

Variety: In Vigor L233P treated with Prosper Evergol

Previous crop: Soybean

Seeding details: Seeded on May 30, 2022, with a cone seeder at a rate of 5.5 kg/ha in a loam soil (pH: 7.5, OM: 3.7 %). Emergence on June 6.



CANOLA

Table 1. Summary of yields per treatment.

Treatment	Yield (bu/ac)	Yield increase (bu/ac)	Oil content (%)
Untreated Check	20.0	-	36.3
AGTIV® IGNITE™ L	21.4	1.4	36.9

Plot operational notes and rain fall.

- Fertilization blend of 51-27-27 prior to seeding on May 10
- Pesticides:
 - June 21, Liberty (emerged weeds control) + Matador (flea beetle control)
- Harvested on September 17, 2022

Month	Precipitation (mm)
May	76.4
June	46.2
July	29.8
August	69.6
TOTAL	222.0

EFFICACY REPORT

2022 – SERENDIPITA ON SEED INOCULANT

► PLOT TRIAL

Research partner: South East Research Farm (SERF)

Research site: Redvers, SK

Treatments: a) Untreated Check
b) AGTIV® IGNITE™ L *

* Liquid inoculant applied according to manufacturer's recommended rate

Experimental design: Complete Randomized Block Design, 6 repetitions, 12 m² plots

Variety: InVigor L340 PC treated with Vercoras & Poncho

Previous crop: Peas

Seeding details: Seeded on June 1, 2022, with a cone seeder at a rate of 9 kg/ha in a loam soil (pH: 7.6, OM: 4.2 %).



CANOLA

Table 1. Summary of yields per treatment.

Treatment	Yield (bu/ac)	Yield increase (bu/ac)	Oil content (%)
Untreated Check	32.2	-	36.6
AGTIV® IGNITE™ L	34.1	1.9	36.5

Plot operational notes and rain fall.

- Fertilization of 100-25-0-6 at seeding
- Pesticides:
 - June 6, Roundup (pre burn off herbicide)
 - June 23, Voliam (flea beetle control)
 - June 23, Liberty (post emerged weeds control)
- Harvested on September 16, 2022

Month	Precipitation (mm)
May	121.0
June	75.0
July	259.0
August	25.2
September	15.0
TOTAL	495.2

EFFICACY REPORT

2022 – SERENDIPITA ON SEED INOCULANT

► PLOT TRIAL

Research partner: New Era Ag Research and Technologies

Research site: Swan River, MB

Treatments: a) Untreated Check
b) AGTIV® IGNITE™ L*

* Liquid inoculant applied according to manufacturer's recommended rate

Experimental design: Complete Randomized Block Design, 6 repetitions, 30 m² plots

Variety: InVigor LL 234 PC treated with Lumiderm & Helix Vibrance

Previous crop: Carrots

Seeding details: Seeded on June 5, 2022, with a cone seeder at a rate of 6 kg/ha in a clay loam soil (pH: 7.1, OM: 6.2 %).



CANOLA

Table 1. Summary of yields and oil content per treatment.

Treatment	Yield (bu/ac)	Yield increase (bu/ac)	Oil content (%)
Untreated Check	60.0	-	30.6
AGTIV® IGNITE™ L	62.2	2.2	35.2

Plot operational notes and rain fall.

- Fertilization of 147-115-66 in the fall of 2021
- Pesticides:
 - June 19 & 28, ARROW ALL IN (grassy weeds control post herbicide)
 - June 23 & 28, Pounce (flea beetle control)
 - July 22, Cotegra (sclerotinia stem rot control)
- Harvested on September 28, 2022

Month	Precipitation (mm)
May	114.0
June	59.4
July	40.6
August	41.8
September	34.7
TOTAL	290.5

EFFICACY REPORT

SUMMARY – SERENDIPITA ON SEED INOCULANT

► PLOT TRIALS

Table 1. Summary of durum wheat yield trials for different sites (2021-2022).

Year	Sites	Untreated check yield (bu/ac)	AGTIV® IGNITE™ L yield (bu/ac)	Yield increase (bu/ac)
2021	Lethbridge	66.7	73.3	6.6
2021	Vulcan	25.8	28.8	3
2021	Taber	39.0	40.6	1.6
2021	Swift Current	11.8	14.4	2.6
2022	Lethbridge	50.2	59.0	8.8
2022	Swift Current	54	55.8	1.8
2022	Vulcan	29.2	31.0	1.8
2022	Taber	27.3	31.8	4.5
Total	8 sites	38.0^a	41.8^b	3.8 bu/ac *

* Yields with same letter are not statistically different according to a Tukey HSD test ($p \leq 0.05$).



DURUM WHEAT

EFFICACY REPORT

2022 – SERENDIPITA ON SEED INOCULANT

► PLOT TRIAL

Research partner: Prairie Ag Research

Research site: Lethbridge, AB

Treatments: a) Untreated Check
b) AGTIV® IGNITE™ L*

* Liquid inoculant applied according to manufacturer's recommended rate

Experimental design: Complete Randomized Block Design, 6 repetitions, 12 m² plots

Variety: Grainland

Previous crop: Fallow

Seeding details: Seeded on May 23, 2022, with a cone seeder at a rate of 100 kg/ha in a clay loam soil (pH: 7.4, OM: 4 %). Emergence on May 30.



DURUM WHEAT

Table 1. Summary of yields per treatment.

Treatment	Yield ¹ (bu/ac)	Yield increase (bu/ac)
Untreated Check	50.2 ^b	-
AGTIV® IGNITE™ L	59.0 ^a	8.8

¹ Yields with same letter are not statistically different according to a Tukey HSD test (p≤0.05).

Plot operational notes and rain fall.

- No fertilization
- Pesticides:
 - May 20, Glyphosate (pre seeding burn off)
 - June 30, Infinity (broadleaf weeds control)
- Harvested on September 14, 2022

Month	Precipitation (mm)
May	17.5
June	140.5 *
July	204.3 *
August	84.9 *
September	9.7
TOTAL	456.9

* Plots were irrigated during those months

EFFICACY REPORT

2022 – SERENDIPITA ON SEED INOCULANT

► PLOT TRIAL

Research partner: Wheatland Conservation Area

Research site: Swift Current, SK

Treatments: a) Untreated Check
b) AGTIV® IGNITE™ L*

* Liquid inoculant applied according to manufacturer's recommended rate

Experimental design: Complete Randomized Block Design, 8 repetitions, 17 m² plots

Variety: Alloy

Previous crop: Wheat

Seeding details: Seeded on May 18, 2022, with a cone seeder at a rate of 123 kg/ha in a sandy loam soil (pH: 6.1, OM: 2.7).



DURUM WHEAT

Table 1. Summary of yields per treatment.

Treatment	Yield (bu/ac)	Yield increase (bu/ac)
Untreated Check	54.0	-
AGTIV® IGNITE™ L	55.8	1.8

Plot operational notes and rain fall.

- Fertilization of 30-15-0-6 (374 lg/ha) sidebanded on June 8
- Pesticides:
 - May 2, RT540 (pre burn off herbicide)
 - June 8 Achieve (post emergence weeds control)
- Harvested on August 16, 2022

Month	Precipitation (mm)
May	51.2
June	37.7
July	90.4
August	7.5
TOTAL	186.8

EFFICACY REPORT

2022 – SERENDIPITA ON SEED INOCULANT

► PLOT TRIAL

Research partner: Small Plot

Research site: Vulcan, AB

Treatments: a) Untreated Check
b) AGTIV® IGNITE™ L*

* Liquid inoculant applied according to manufacturer's recommended rate

Experimental design: Complete Randomized Block Design, 8 repetitions, 16 m² plots

Variety: Spitfire

Previous crop: Rye

Seeding details: Seeded on May 16, 2022, with a plot drilling machine at a rate of 130 kg/ha in a clay loam soil (pH: 7.6, OM: 3). Emergence on May 28.



DURUM WHEAT

Table 1. Summary of yields per treatment.

Treatment	Yield (bu/ac)	Yield increase (bu/ac)
Untreated Check	29.2	-
AGTIV® IGNITE™ L	31.0	1.8

Plot operational notes and rain fall.

- Fertilization of 60-15-15-6 sidebanded at seeding on May 16
- Pesticides:
 - June 25: Herbicide Epic and Stellar XL
 - ZIVATA for grasshoppers control
- Harvested on August 30, 2022

Month	Precipitation (mm)
May	9.8
June	136.8
July	86.0
August	18.1
TOTAL	250.7

EFFICACY REPORT

2022 – SERENDIPITA ON SEED INOCULANT

► PLOT TRIAL

Research partner: Ag-Quest

Research site: Taber, AB

Treatments: a) Untreated Check
b) AGTIV® IGNITE™ L*

* Liquid inoculant applied according to manufacturer's recommended rate

Experimental design: Complete Randomized Block Design, 6 repetitions, 22.5 m² plots

Variety: Strongfield

Previous crop: Rye

Seeding details: Seeded on May 17, 2022, with a cone seeder at a rate of 117 kg/ha in a sandy loam soil (pH: 7.8, OM: 2.6). Emergence on May 20.



DURUM WHEAT

Table 1. Summary of yields per treatment.

Treatment	Yield (bu/ac)	Yield increase (bu/ac)
Untreated Check	27.3	-
AGTIV® IGNITE™ L	31.8	4.5

Plot operational notes and rain fall.

- Fertilization of 5-20-5 prior to seeding
- Pesticides:
 - May 18, Roundup Transorb (pre emergence herbicide)
 - June 19, Achieve liquid (emerged weeds)
 - July 6, Infinity and Achieve Liquid (annual grass control)
- Harvested on August 30, 2022

Month	Precipitation (mm)
May	16.1
June	78.2
July	204.3*
August	89.3*
TOTAL	387.9

* Plots were irrigated during those months

EFFICACY REPORT

2021 – SERENDIPITA ON SEED INOCULANT

► PLOT TRIAL

Research partner: Prairie Ag Research

Research site: Lethbridge, AB

Treatments: a) Untreated Check
b) AGTIV® IGNITE™ L*

* Liquid inoculant applied according to manufacturer's recommended rate

Experimental design: Complete Randomized Block Design, 8 repetitions, 12 m² plots

Variety: Grainland

Previous crop: Barley

Seeding details: Seeded on May 31, 2021, with a cone seeder at a rate of 100 kg/ha in a clay loam soil (pH: 7.4, OM: 2.9). Emergence on June 7.



DURUM WHEAT

Table 1. Summary of yields and protein content per treatment.

Treatment	Yield ¹ (bu/ac)	Yield increase (bu/ac)	Protein (%)
Untreated Check	66.7 ^b	-	19.2
AGTIV® IGNITE™ L	73.3 ^a	6.6	20.3

¹ Yields with same letter are not statistically different according to a Tukey HSD test (p≤0.05).

Plot operational notes and rain fall.

- No fertilization
- Pesticides:
 - May 31, Glyphosate (emerged weeds)
 - June 28, Achieve, Infinity and Turbocharge (broadleaf weeds)
- Harvested on September 14, 2021

Month	Precipitation (mm)
May	33.1
June	76.5
July	70.3
August	35.6
TOTAL	215.5

EFFICACY REPORT

2021 – SERENDIPITA ON SEED INOCULANT

► PLOT TRIAL

Research partner: Small Plot

Research site: Vulcan, AB

Treatments: a) Untreated Check
b) AGTIV® IGNITE™ L*

* Liquid inoculant applied according to manufacturer's recommended rate

Experimental design: Complete Randomized Block Design, 8 repetitions, 32 m² plots

Variety: Spitfire

Previous crop: Oats

Seeding details: Seeded on May 16, 2021, with a plot drilling machine at a rate of 115 kg/ha in a loam soil (pH: 7.5, OM: 3). Emergence on May 20.



DURUM WHEAT

Table 1. Summary of yields per treatment.

Treatment	Yield (bu/ac)	Yield increase (bu/ac)
Untreated Check	25.8	-
AGTIV® IGNITE™ L	28.8	3.0

Plot operational notes and rain fall.

- 70-20-20-20 sidebanded at seeding
- Pesticides:
 - July 25, sprayed for grasshoppers
- Harvested on August 30, 2021

Month	Precipitation (mm)
May	167
June	109
July	152
August	163
TOTAL	591

EFFICACY REPORT

2021 – SERENDIPITA ON SEED INOCULANT

► PLOT TRIAL

Research partner: Ag-Quest

Research site: Taber, AB

Treatments: a) Untreated Check
b) AGTIV® IGNITE™ L*

* Liquid inoculant applied according to manufacturer's recommended rate

Experimental design: Complete Randomized Block Design, 8 repetitions, 22.5 m² plots

Variety: Strongfield

Previous crop: Rye

Seeding details: Seeded on June 6, 2021, with a cone seeder at a rate of 130 kg/ha in a loam soil (pH: 7.8, OM: 2.2). Emergence on June 20.



DURUM WHEAT

Table 1. Summary of yields per treatment.

Treatment	Yield (bu/ac)	Yield increase (bu/ac)
Untreated Check	39	-
AGTIV® IGNITE™ L	40.6	1.6

Plot operational notes and rain fall.

- No fertilisation
- Pesticides:
 - July 2, Infinity and Achieve Herbicide (broadleaf control)
 - July 16, Axial Herbicide (annual grass control)
- Harvested on September 3, 2021

Month	Precipitation (mm)
May	24.8
June	89.9
July	78.5
August	53.7
TOTAL	246.9

EFFICACY REPORT

2021 – SERENDIPITA ON SEED INOCULANT

► PLOT TRIAL

Research partner: Wheatland Conservation Area

Research site: Swift Current, SK

Treatments: a) Untreated Check
b) AGTIV® IGNITE™ L*

* Liquid inoculant applied according to manufacturer's recommended rate

Experimental design: Complete Randomized Block Design, 8 repetitions, 18 m² plots

Variety: Transcend

Previous crop: Barley

Seeding details: Seeded on May 28, 2021, with a cone seeder at a rate of 130 kg/ha in a sandy loam soil (pH: 6.5, OM: 2.7). Emergence on June 11.



DURUM WHEAT

Table 1. Summary of yields per treatment.

Treatment	Yield (bu/ac)	Yield increase (bu/ac)
Untreated Check	11.8	-
AGTIV® IGNITE™ L	14.4	2.6

Plot operational notes and rain fall.

- 30-15-06-6 sidebanded at seeding
- Pesticides:
 - May 4, RT540 + Aim EC (pre emergence herbicide)
 - June 17 Achieve + Buctril (Emerged weeds)
- Harvested on August 27, 2021

Month	Precipitation (mm)
May	44.1
June	74.5
July	51.9
August	43.2
TOTAL	213.7

EFFICACY REPORT

SUMMARY – MYCORRHIZAL INOCULANT

► GROWER SPLIT FIELDS

Table 1. **Average yield increase with AGTIV® REACH™ in Canada and Europe (43 sites, 2012 to 2021).**

Number of sites	Average increase (%)
43	7,7%

Table 2. **Average yield increase with AGTIV® REACH™ in Western Canada (2012 to 2018).**

Number of sites	Average increase (bu/ac)	Average increase (%)
12	3.8	6.5%

Table 3. **Average yield increase with AGTIV® mycorrhizal inoculant in FRANCE, Europe (2012 to 2021).**

Number of sites	Average increase (bu/ac)	Average increase (%)
31	8.3	8.2%



DURUM WHEAT

EFFICACY REPORT


SUMMARY – MYCORRHIZAL INOCULANT

► GROWER SPLIT FIELDS

Table 1. Average yield increase with AGTIV® REACH™ in Canada (2012 to 2016).

Number of sites	Average increase (bu/ac)	Average increase (kg/ha)	Average increase (%)
26	7.0	377	10.6%

Figure 1. Average yield increase with AGTIV® mycorrhizal inoculant in Canada and Europe (28 sites, 2012 to 2017).



Barley plants have an increased root mass on the right with AGTIV®, which leads to enhanced plant health and growth.



EFFICACY REPORT

SUMMARY – MYCORRHIZAL INOCULANT

► GROWER SPLIT FIELDS AND TRIALS



POTATO

Table 1. Average increase of marketable yield* with AGTIV® REACH™ L POTATO for different territories (2011 to 2021).

Territory	Number of sites	Yield increase (t/ha)	Yield increase (cwt/ac)	Yield increase (%)
Canada	581	3.1	27.7	10.0
United States	67	3.3	29.8	10.8
Mexico	4	2.3	20.0	8.6
France & Switzerland	496	4.1	36.3	9.9
Germany	24	4.2	37.5	10.3
Total	1172 sites	3.6 t/ha	31.6 cwt/ac**	10.0 %

Table 2. Average increase of marketable yield* with AGTIV® REACH™ L POTATO for different years (2011-2021).

Year	Number of sites	Yield increase (t/ha)	Yield increase (cwt/ac)	Yield increase (%)
2011	32	2.6	23.3	6.6
2012	33	3.2	28.5	9.0
2013	70	3.6	31.9	11.2
2014	116	4.5	40.3	12.8
2015	145	4.0	35.3	10.7
2016	243	3.9	34.8	10.5
2017	213	2.7	24.0	7.7
2018	113	3.4	30.2	11.2
2019	117	3.5	31.1	8.6
2020	49	2.9	25.6	9.8
2021	41	4.1	36.4	10.2
Total	1172 sites	3.6 t/ha	31.6 cwt/ac**	10.0 %

* Statistically significant at $p < 0.001$ following a T test.

**cwt/ac = 100 lb/ac

EFFICACY REPORT

SUMMARY – MYCORRHIZAL INOCULANT

► GROWER SPLIT FIELDS AND PLOT TRIALS¹



NOINO

Table 1. **Average increase of marketable yields² (t/ha) with AGTIV® REACH™ for different years (2014-2019)**

Year	Number of sites	Yield Untreated	Yield AGTIV®	Yield increase	Yield increase (%)
2014	2	67.7	73.2	5.4	8.0
2015	4	44.3	47.6	3.3	8.7
2016	1	60.7	64.1	3.4	5.6
2017	1	18.2	20.4	2.2	12.2
2018	2	40.0	46.1	6.2	20.3
2019	6	50.3	52.6	2.2	3.3
Total	16 sites	48.3^a	51.8^b	3.5 t/ha	8.1%

¹ Split fields and trials conducted in North America and Europe

² Yields without the same letter are statistically different based on a Tukey HSD test ($p \leq 0.05$).

Table 2. **Average increase of marketable yields² (lb/ac) with AGTIV® REACH™ for different years (2014-2019)**

Year	Number of sites	Yield Untreated	Yield AGTIV®	Yield increase	Yield increase (%)
2014	2	60 400	65 307	4 817	8.0
2015	4	39 523	42 467	2 944	8.7
2016	1	54 155	57 188	3 033	5.6
2017	1	16 237	18 200	1 962	12.2
2018	2	35 687	41 129	5 531	20.3
2019	6	44 876	46 928	1 962	3.3
Total	16 sites	41 813^a	45 203^b	3 375 lb/ac	8.1%

¹ Split fields and trials conducted in North America and Europe

² Yields without the same letter are statistically different based on a Tukey HSD test ($p \leq 0.05$).

EFFICACY REPORT

SUMMARY – MYCORRHIZAL INOCULANT

► GROWER SPLIT FIELDS


Table 1. **Average yield increase with AGTIV® mycorrhizal inoculant for different years (2017 and 2018) in France, Europe.**

Variety	Untreated		AGTIV® mycorrhizal inoculant		Difference (%) AGTIV® vs untreated
	(lb/ac)	(t/ha)	(lb/ac)	(t/ha)	
Stanley	13 561	15.16	14 810	16.56	+9.2
Costal	11 865	13.31	12 668	14.24	+6.9
Bamaco	15 167	16.98	16 594	18.57	+9.4
Compass	8 297	9.27	9 635	10.8	+16.5
Paloma	9 546	10.73	9 367	10.47	-2.5
Linex	6 512	7.33	6 959	7.83	+6.8
Average	10 795 lb/ac	12.13 t/ha	11 687 lb/ac	13.07 t/ha	+7.7%



GREEN BEAN

Figure 1. **Yield increase with AGTIV® mycorrhizal inoculant.**



EFFICACY REPORT

SUMMARY – MYCORRHIZAL INOCULANT

► GROWER SPLIT FIELDS


Table 1. Average yield increase with AGTIV® THRIVE™ P PEA & LENTIL for different years (2015 to 2019) in Ontario and Quebec, Canada.

Year	Number of sites	Average increase (t/ac)	Average increase (t/ha)	Average increase (%)
2015	4	0.31	0.77	23.3
2016	7	0.08	0.20	3.5
2017	1	0.12	0.30	3.7
2019	1	0.32	0.80	22.6
Total	13 sites	0.17 t/ac	0.42 t/ha	11.1%



GREEN PEA

Figure 1. Average yield increase with AGTIV® THRIVE™ P PEA & LENTIL in Ontario and Quebec, Canada (2015 to 2019).



EFFICACY REPORT

SUMMARY – MYCORRHIZAL INOCULANT

► GROWER SPLIT FIELDS

Table 1. **Average yield increase with AGTIV® REACH™**
for different years (2002 to 2016) in ONTARIO & QUEBEC, Canada.

Year	Number of sites	Average increase (lb/ac)	Average increase (t/ha)	Average increase (%)
2002	2	*	*	5.1
2015	2	2840	3.18	10.0
2016	1	2617	2.93	3.7
Total	5 sites	2766 lb/ac **	3.10 t/ha **	6.8%


* Plot trial data for 2002: average increase of 95 g/plant.

** The 2766 lb/ac average refers only to 2015-2016 data.



PEPPER

Figure 1. **Average yield increase with AGTIV® REACH™** in Ontario, Canada (2015-2016).



More developed root system, more leaves
and bigger fruits with AGTIV®.

GET THE INFO YOU NEED ONLINE

TOOLBOX

Labels, SDS, organic certificates,
application videos, charts and
rate calculators

[PTAGTIV.COM/en/toolbox](https://ptagtiv.com/en/toolbox)



RESULTS

Efficacy report
Field observations

[PTAGTIV.COM/en/results](https://ptagtiv.com/en/results)

COMPATIBILITY

Pesticide compatibility lists
Liquid fertilizer compatibility lists

[PTAGTIV.COM/en/compatibility](https://ptagtiv.com/en/compatibility)

EDUCATION

Agronomic articles
Case studies

[PTAGTIV.COM/en/blog](https://ptagtiv.com/en/blog)

PROGRAMS

Liquid and Powder equipments
Retailer fridge program

[PTAGTIV.COM/en/program](https://ptagtiv.com/en/program)

EFFICACY REPORT 2023

CONTACT OUR DEDICATED TEAM TODAY.
WE CARE ABOUT YOUR SUCCESS!



PEOPLE AND TECHNOLOGIES MAKING A DIFFERENCE

Making a difference, this is what we are all about at Premier Tech. One team driven by a shared passion to deliver solutions that will better the lives of people, businesses and communities. At Premier Tech, People and Technologies connect in lasting, transformative ways, giving life to products and services that help feed, protect and improve our world. We are committed to creating sustainable solutions that help bring beautiful gardens to life, increase crop yields, improve the efficiency of manufacturing facilities, treat and recycle water, and much more as we keep innovating.



PT Growers and Consumers
1, avenue Premier
Campus Premier Tech
Rivière-du-Loup (Québec)
G5R 6C1 CANADA



PTAGTIV.COM
1 866 454-5867
info@ptagtiv.com

The information in this document was up-to-date at the time of printing. Because of its continuous improvement policy, Premier Tech reserves the right to halt manufacturing, change products, or revise technical data and prices without further warning or liability. Printed in Canada. © Premier Tech Ltd., 2022. Premier Tech Ltd. used under license and manufactured by Premier Horticulture Ltd. AGTIV® is a registered trademark, AGTIV® THRIVE™, AGTIV® FUEL™, AGTIV® REACH™, AGTIV® IGNITE™, AGTIV® ENRICH™ and AGTIV® STIMULATE™ are trademarks of Premier Tech Ltd. used under license by Premier Horticulture Ltd.

20221117