

AGTIV®



EFFICACY REPORT 2026
PEA & LENTIL



LENTIL

AVERAGE YIELD INCREASE


AGTIV®
THRIVE

2.7 bu/ac
8.6%

182 kg/ha
68 sites over 16 years
Canada



Lentil split field with AGTIV THRIVE® PULSES vs competitor inoculant.
Plant growth and health is enhanced on the right,
and row closure occurs sooner in AGTIV® lentil fields.



Enhanced root development leads to thicker stems,
which help lentils stand better and increases ease of harvest.



EFFICACY REPORT

SUMMARY – MYCORRHIZAL & RHIZOBIAL INOCULANT



► PLOT & STRIP TRIALS

Research partners:

- Ag-Quest;
- G-MAC's AgTeam;
- Palliser Triangle Research Inc.;
- Prairie Ag Research Inc.;
- Small Plot Inc.;
- Wheatland Conservation Area Inc.

Research sites:

- Saskatchewan;
- Alberta.

Treatments*:

- a) AGTIV THRIVE® PEA & LENTIL;
- b) Competitor inoculant A;
- c) Competitor inoculant B;
- d) Competitor inoculant C;
- e) Competitor inoculant D.

*Products applied according to the manufacturer's recommended rate.

Experimental design:

- Randomized Complete Block Design: 11 trials (6-8 repetitions each)
- Strip trial: 1 trial (2 repetitions)

Table 1. Summary of yields (bu/ac) per trial

Year	Location	Seed variety	AGTIV THRIVE® PEA & LENTIL	Competitor inoculant			
				A	B	C	D
2015	Brock	N.A.	18.4	13.4	11.4		
2016	Swift Current	Small Red Lentils, Imax CL	50.1	43.3	41.1	37.7	
2017	Coalhurst	N.A.	19.5	19.1	19.2	18.5	
2019	Vulcan	Pedigree CDC Proclaim	32.6	28.8			28.4
2021	Lethbridge	Proclaim	46.8		46.4		
	Vulcan	Impulse	10		8.4		
2022	Lethbridge	Impulse	32		31.9		
	Vulcan	Impulse	38.7		38.3		
	Swift Current	Impulse	35		32.6		
2023	Taber	Impulse	30.1		25.7		27.7
2025	Avonlea	CDC Nimble CL	49.0				47.0
	Vulcan	CDC Nimble	58.9				58.0

► GROWER DEMONSTRATIONS

Experimental design: Split field: 56 demos

EFFICACY REPORT
2025 – MYCORRHIZAL & RHIZOBIAL INOCULANT

► PLOT TRIAL

Research partner:	Palliser Triangle Research Inc.
Research site:	Avonlea, SK
Treatments*:	a) Untreated check; b) AGTIV THRIVE® PEA & LENTIL; c) Competitor inoculant D.
	*Products applied according to the manufacturer’s recommended rate.
Experimental design:	Randomized Complete Block Design, 8 repetitions, 7.2 m² plots
Variety:	CDC Nimble CL treated with Vibrance Maxx
Previous crop:	Canola
Seeding details:	Seeded on May 13 with a custom-built R-tech seeder at a rate of 73 kg/ha in a loam soil (pH: 8.1, OM: 2.4%). Emergence on May 27.

OPERATIONAL NOTES AND RAIN FALL

Fertilisation:	11-52-0 (50 kg/ha): May 13
Pesticides:	• Voraxor (19.5 mL/ac): May 3 • Zidua SC (49.0 mL/ac): May 3 • RT 540 (1.0 L/ac): May 3 • Merge (400 mL/ac) : May 3 • Interlock (100 mL/ac): May 3 • Solo ADV (325 mL/ac): May 31 • Delaro Complete (362 mL/ac): July 6 • Reglone Ion (0.83 L/ac): August 8 • Excel 70 (0.2% v/v): August 8
Harvesting:	August 17, 2025

Table 1. Summary of yields per treatment

Treatment	Yield (bu/ac)	Yield increase (bu/ac)
Untreated check	47.3	-
AGTIV THRIVE® PEA & LENTIL	49.0	1.7
Competitor inoculant D	47.0	-

Month	Precipitation (mm)
May	83.1
June	47.7
July	73.7
August	16.0
TOTAL	220.5

EFFICACY REPORT
2025 – MYCORRHIZAL & RHIZOBIAL INOCULANT



► PLOT TRIAL

Research partner: Small Plot Inc.

Research site: Vulcan, AB

Treatments*: a) Untreated check;
b) AGTIV THRIVE® PEA & LENTIL;
c) Competitor inoculant D.

*Products applied according to the manufacturer’s recommended rate.

Experimental design: Randomized Complete Block Design,
8 repetitions, 16 m² plots

Variety: CDC Nimble

Previous crop: Durum wheat

Seeding details: Seeded on May 7 with a plot drilling machine at a rate of 71 kg/ha
in a clay loam soil (pH: 8.1, OM: 2.1%).
Emergence on May 20.

OPERATIONAL NOTES AND RAIN FALL

Fertilisation: 11-52-0 (90 kg/ha): May 7

Pesticides: Odyssey NXT (17 g/ac): June 6

Harvesting: August 25, 2025

Table 1. Summary of yields per treatment

Treatment	Yield (bu/ac)	Yield increase (bu/ac)
Untreated check	57.8	-
AGTIV THRIVE® PEA & LENTIL	58.9	1.1
Competitor inoculant D	58.0	0.2

Month	Precipitation (mm)
May	29.0
June	96.5
July	92.2
August	25.7
TOTAL	243.4

EFFICACY REPORT

2023 – MYCORRHIZAL & RHIZOBIAL INOCULANT

► PLOT TRIAL

Research partner:	Ag-Quest Inc
Research site:	Taber, AB
Treatments:	a) Untreated check; b) AGTIV THRIVE® PEA & LENTIL; c) Competitor inoculant B; d) Competitor inoculant D.
*Products applied according to the manufacturer's recommended rate.	
Experimental design:	Randomized Complete Block, 6 repetitions, 22.5 m ² plots
Variety:	CDC Impulse
Previous crop:	Winter rye
Seeding details:	Seeded on May 26 with a cone seeder at a rate of 50 kg/ha in a clay loam soil (pH: 7.5, OM: 3%). Emergence on June 9.

OPERATIONAL NOTES AND RAIN FALL

Fertilisation:	None
Pesticides:	• Rival EC (1.73 L/ha): May 25 • Solo ADV (0.80 L/ha): June 17 • Reglone Ion (2.47 L/ha): September 12 and 18 • Agral 90 (0.5% v/v): September 12 and 18
Harvesting:	September 21, 2023

Table 1. Summary of yields per treatment

Treatment	Yield (bu/ac)	Yield increase (bu/ac)
Untreated check	26.3	-
AGTIV THRIVE® PEA & LENTIL	30.1	3.8
Competitor inoculant B	25.7	-
Competitor inoculant D	27.7	1.4



Month	Precipitation (mm)	Irrigation (mm)
May	18.2	
June	54.8	127.0
July	8.7	279.4
August	18.8	152.4
TOTAL	100.5	558.8

EFFICACY REPORT
2022 – MYCORRHIZAL & RHIZOBIAL INOCULANT

► PLOT TRIAL

Research partner:

Prairie Ag Research Inc.

Research site:

Lethbridge, AB

Treatments:

a) Untreated check;
b) AGTIV THRIVE® PEA & LENTIL*;
c) Competitor inoculant B*.

*Products applied according to the manufacturer's recommended rate.

Experimental design:

Randomized Complete Block Design,
8 repetitions, 12 m² plots.

Variety:

Impulse

Previous crop:

Fallow

Seeding details:

Seeded on May 23, with a cone seeder at a rate of 50 kg/ha in a
clay loam soil (pH: 7.4, OM: 4%).
Emergence on May 30.

OPERATIONAL NOTES AND RAIN FALL

Fertilisation:

None

Pesticides:

- Glyphosate: May 20
- Odyssey and Merge: June 30

Harvesting:


September 7, 2022

Month	Precipitation (mm)
May	35.8
June	114.5 *
July	57.4
August	31.7 *
TOTAL	239.4

* Plots were irrigated during those months

Table 1. Summary of yields per treatment

Treatment	Yield (bu/ac)	Yield increase (bu/ac)
Untreated check	30.1	-
AGTIV THRIVE® PEA & LENTIL	32.0	1.9
Competitor inoculant B	31.9	1.8



EFFICACY REPORT
2022 – MYCORRHIZAL & RHIZOBIAL INOCULANT

► PLOT TRIAL

Research partner: Small Plot Inc.

Research site: Vulcan, AB

Treatments: a) Untreated check;
b) AGTIV THRIVE® PEA & LENTIL*;
c) Competitor inoculant B*.

*Products applied according to the manufacturer's recommended rate.

Experimental design: Randomized Complete Block Design,
6 repetitions, 16 m² plots.

Variety: Impulse

Previous crop: Fallow

Seeding details: Seeded on May 12, 2022, with a plot drill machine
at a rate of 89 kg/ha in a loam soil (pH: 7, OM: 3.5%).
Emergence on May 30.

Table 1. Summary of yields per treatment

Treatment	Yield (bu/ac)	Yield increase (bu/ac)
Untreated check	37.1	-
AGTIV THRIVE® PEA & LENTIL	38.7	1.6
Competitor inoculant B	38.3	1.2

OPERATIONAL NOTES AND RAIN FALL

Fertilisation: 11-51-0-0 sidebanded at seeding

Pesticides: • Odyssey NXT: July 3
• ZIVATA: twice

Harvesting: August 30, 2022

Month	Precipitation (mm)
May	9.8
June	136.8
July	86.0
August	18.1
TOTAL	250.7

EFFICACY REPORT
2022 – MYCORRHIZAL & RHIZOBIAL INOCULANT

► PLOT TRIAL

Research partner: Wheatland Conservation Area Inc.

Research site: Swift Current, SK

Treatments: a) Untreated check;
b) AGTIV THRIVE® PEA & LENTIL*;
c) Competitor inoculant B*.

*Products applied according to the manufacturer's recommended rate.

Experimental design: Randomized Complete Block Design,
8 repetitions, 17 m² plots.

Variety: Impulse

Previous crop: Wheat

Seeding details: Seeded on May 6, with a cone seeder at a rate of 67 kg/ha in a sandy loam soil (pH: 6.1, OM: 2.7%).
Emergence on May 27.

OPERATIONAL NOTES AND RAIN FALL

Fertilisation: 11-52-0 (100 kg/ha): May 6

Pesticides:

- RT540: May 2
- Centurion: June 7
- AMIGO: June 7
- Solo ADV: June 16
- Proline GOLD: July 27
- Reglone: August 8

Harvesting: August 8, 2022

Month	Precipitation (mm)
May	51.2
June	37.7
July	90.4
August	7.5
TOTAL	186.8

Table 1. Summary of yields per treatment

Treatment	Yield (bu/ac)	Yield increase (bu/ac)
Untreated check	32.9	-
AGTIV THRIVE® PEA & LENTIL	35.0	2.1
Competitor inoculant B	32.6	-



EFFICACY REPORT
2021 – MYCORRHIZAL & RHIZOBIAL INOCULANT



► PLOT TRIAL

Research partner: Prairie Ag Research Inc.

Research site: Lethbridge, AB

Treatments: a) Untreated check;
b) AGTIV® PULSES • Granular*;
c) Competitor inoculant B*.

*Products applied according to the manufacturer's recommended rate.

Experimental design: Randomized Complete Block Design,
6 repetitions, 12 m² plots.

Variety: Proclaim

Previous crop: Barley

Seeding details: Seeded on May 19, with a cone seeder at a rate of 50 kg/ha.

OPERATIONAL NOTES AND RAIN FALL

Fertilisation: None

Pesticides: • Glyphosate: May 19
• Odyssey: June 28
• Merge: June 28

Harvesting: September 14, 2021

Month	Precipitation (mm)
May	33.1
June	16.5
July	10.3
August	35.6
TOTAL	95.5

Table 1. Summary of yields and protein content per treatment

Treatment	Yield (bu/ac)	Yield increase (bu/ac)	Protein content (%)
Untreated check	42.7	-	27.5
AGTIV® PULSES • Granular	46.8	4.1	27.8
Competitor inoculant B	46.4	3.7	27.2

EFFICACY REPORT

2021 – MYCORRHIZAL & RHIZOBIAL INOCULANT

► PLOT TRIAL

Research partner: Small Plot Inc.

Research site: Vulcan, AB

Treatments: a) Untreated check;
b) AGTIV® PULSES • Granular*;
c) Competitor inoculant B*.

*Products applied according to the manufacturer's recommended rate.

Experimental design: Randomized Complete Block Design,
6 repetitions, 16 m² plots.

Variety: Impulse

Previous crop: Wheat

Seeding details: Seeded on May 15, with a plot drilling machine at a rate of
72 kg/ha.

Table 1. Summary of yields per treatment

Treatment	Yield (bu/ac)	Yield increase (bu/ac)
Untreated check	9.1	-
AGTIV® PULSES • Granular	10.0	0.9
Competitor inoculant B	8.4	-

OPERATIONAL NOTES AND RAIN FALL

Fertilisation: 11-51-0-0 sidebanded at seeding

Pesticides: Odyssey NTX: June 13

Harvesting: August 25, 2021

Month	Precipitation (mm)
May	3.8
June	42.4
July	27.6
August	38.6
September	41.1
TOTAL	153.5

EFFICACY REPORT

2019 – MYCORRHIZAL & RHIZOBIAL INOCULANT

► PLOT TRIAL

Research partner: Small Plot Inc.

Research site: Vulcan, AB

Treatments: a) ALPINE G22™ Liquid*;
b) ALPINE G22™ and AGTIV® COMBO • Liquid for PULSES*;
c) ALPINE G22™ and Competitor inoculant A*;
d) ALPINE G22™ and Competitor inoculant D*.

*Products applied according to manufacturers' recommended rate.

Experimental design: Randomized Complete Block Design, 6 repetitions.

Variety: Pedigree CDC Proclaim

Previous crop: Canola

Seeding details: Seeded May 14, at 65 lb/ac with a 22.8 cm row spacing. Products were applied in-furrow.

OPERATIONAL NOTES AND RAIN FALL

Fertilisation: ALPINE G22™

Pesticides: One herbicide: June 6

Harvesting: Dessicated September 22;
Combined October 17.

Month	Precipitation (mm)
May	16
June	50
July	16
August	25
TOTAL	107

Table 1. Summary of yields per treatment

Treatment	Yield (bu/ac)	Yield (kg/ha)
ALPINE G22™ Liquid	25.0 ^a	1681 ^a
ALPINE G22™ and AGTIV® COMBO • Liquid for PULSES	32.6 ^b	2192 ^b
ALPINE G22™ and Competitor inoculant A	28.8 ^{ab}	1937 ^{ab}
ALPINE G22™ and Competitor inoculant D	28.4 ^{ab}	1910 ^{ab}

¹ Yields followed by different letters are significantly different (LSD Test at p<0.05).
Data from bloc 1 were not analyzed due to a high presence of *Kochia scoparia*.

EFFICACY REPORT

2016 – MYCORRHIZAL & RHIZOBIAL INOCULANT

► PLOT TRIAL

Research partner: Wheatland Conservation Area Inc.

Research site: Swift Current, SK

Treatments: a) AGTIV® PULSES • Granular applied at 5 lb/ac*;
b) AGTIV® RHIZO • Granular for PULSES applied at 5 lb/ac*;
c) Competitor inoculant A applied at 3.6 lb/ac*;
d) Competitor inoculant B applied at 3.6 lb/ac*;
e) Competitor inoculant C applied at 5.1 lb/ac*.

*Products applied according to the manufacturer's recommended rate.

Experimental design: Randomized Complete Block Design,
8 repetitions

Variety: Small Red Lentils, Imax CL

Previous crop: Canola

Seeding details: Seeded at 68 lb/ac to obtain 12 plants/ft² using Fabro plot dill,
Atomjet knife openers.

Fertility: 98 lb/ac of 11-52-0 side banded

OPERATIONAL NOTES AND RAIN FALL

Fertilisation: None

Pesticides:

- RT 540 (0.67 L/ac): preseed burnoff
- Edge (15 lb/ac): pre-seed
- Odyssey (17.3 g/ac)
- Poast Ultra (190 mL/ac)
- Merge spray solution (0.5 L/100 L)
- Priaxor (180 mL/ac): at 10% flower

Harvesting: Dessicated: Reglone + Ag Surf adjuvant (700 mL/ac + 0.1 L/100 L).
Combined with Wintersteiger.

Table 1. Summary of yields per treatment

Treatment	Yield (bu/ac)	Yield (kg/ha)
AGTIV® PULSES • Granular (dual inoculant)	50.1 ^b	3369 ^b
AGTIV® RHIZO • Granular for PULSES (single inoculant)	46.6 ^b	3134 ^b
Competitor inoculant A	43.3 ^{a,b}	2912 ^{a,b}
Competitor inoculant B	41.1 ^a	2764 ^a
Competitor inoculant C	37.7 ^{a2}	2535 ^{a2}

¹ Average yields followed by different letters are significantly different using Duncan's multiple range test at $p \leq 0.1$.

² The difference in yield is significant at $p = 0.012$, compared with AGTIV® PULSES • Granular (dual inoculant).

Month	Precipitation (mm)
April	7
May	129.3
June	85.1
July	115
August	58
September	39
October	58
TOTAL	491.4

Data analysis:

As noted by Wheatland Conservation Area Inc., the lower part of the field had damaging effect on all plots of replicate 7 and the first plot of replicate 8, which was the competitor inoculant B treatment. All data from those affected plots were removed from the analysis.

► STRIP TRIAL

Research partner: G-MAC's AgTeam

Research site: Brock, SK

Objective: Evaluate the performance of competitor inoculant brands with an emphasis on comparing granular formulations against the competitor inoculant D liquid formulation on lentil.

Treatments: a) AGTIV® PULSES • Granular applied at 5 lb/ac*;
b) Competitor inoculant A granular applied at 3.6 lb/ac*;
c) Competitor inoculant B granular applied at 3.6 lb/ac*;
d) Competitor inoculant C granular applied at 3.6 lb/ac*;
e) Competitor inoculant D liquid applied at 76 mL/bu*;
f) Competitor inoculant D liquid applied at 76 mL/bu + Competitor inoculant B granular applied at 1.8 lb/ac*.

* Products applied according to manufacturer's recommended rate.

Experimental design: Randomized Complete Block Design, minimum of 2 repetitions. See field layout.

Seeding details: Seeded on May 9, using the growers' existing machinery.

OPERATIONAL NOTES AND RAIN FALL

Fertilisation: None

Pesticides: In-season herbicide, fungicide, and insecticide, applications were all registered practices and made in accordance with product labels.

Harvesting: August 31, 2015, using the growers' existing machinery. Harvest data was scaled with weigh wagons then recorded.

Month	Precipitation (mm)
May	0.8
June	1.43
July	2.31
TOTAL	4.54

Table 1. Summary of yields per treatment

Treatment	Yield (bu/ac)	Yield (kg/ha)
AGTIV® PULSES • Granular (dual inoculant)	18.4	1237
Competitor inoculant A	13.4	901
Competitor inoculant B	11.4	767
Competitor inoculant C	11.8	794
Competitor inoculant D	11.3	760
Competitor inoculant D + B	11.1	747

Field layout





PEA

AVERAGE YIELD INCREASE

AGTIV®
THRIVE

3.5 bu/ac
6.1%

235 kg/ha

30 sites over 14 years
Canada



Pea split field with AGTIV THRIVE® PEA & LENTIL vs competitor inoculant.
Enhanced plant growth and health,
and sooner row closure in AGTIV® pea fields, on the right.



AGTIV® pea plants have a better developed root system
with more branching, which leads to increased plant health and growth.



EFFICACY REPORT
SUMMARY – MYCORRHIZAL & RHIZOBIAL INOCULANT

► PLOT TRIALS

Research partners:

- Ag-Quest Inc;
- ICMS;
- New Era Ag Research;
- Wheatland Conservation Area Inc.

Research sites:

- Alberta;
- Saskatchewan;
- Manitoba.

Treatments*:

- a) AGTIV THRIVE® PEA & LENTIL;
- b) Competitor inoculant A;
- c) Competitor inoculant B;
- d) Competitor inoculant D.

*Products applied according to the manufacturer’s recommended rate.

Experimental design:

- Randomized Complete Block Design: 12 trials (5-8 repetitions each)

► GROWER DEMONSTRATIONS

Experimental design:

Split field: 16 demos

Table 1. Summary of yields (bu/ac) per trial

Year	Location	Seed variety	AGTIV THRIVE® PEA & LENTIL	Competitor inoculant		
				A	B	D
2015	Fort Saskatchewan	Meadow	88.6	86.2	79.5	
2017	Swift Current	Amarillo	14	12.7	12.4	
2019	Saskatoon	AAC Ardill	65	52		63.2
2021	Portage la Prairie	Carver	45.2		41.3	
2022	Josephburg	Striker	45.4		46.6	
	Saskatoon	ACC Ardill	36.4		35.8	
	Saskatoon	CDC Spectrum	30.7		28.8	
	Swan River	Inca	91.5		87.1	
2023	Swan River	Inca	57.2		58.4	
2024	Olds	CDC Spectrum	75.5			74
2025	Moon Lake	CDC Lewochko	67.1			69.4
	Josephburg	CDC Canary	56.7			55.8

► PLOT TRIAL

Research partner:	ICMS
Research site:	Moon Lake, SK
Treatments*:	a) Untreated check; b) AGTIV THRIVE® PEA & LENTIL; c) Competitor inoculant D.
	*Products applied according to the manufacturer’s recommended rate.
Experimental design:	Randomized Complete Block Design, 8 repetitions, 33.12 m² plots
Variety:	CDC Lewochko
Previous crop:	Canola
Seeding details:	Seeded on May 23 with a cone planter at a rate of 225 kg/ha in a clay soil (pH: 8.0, OM: 6.6%). Emergence on June 6.

OPERATIONAL NOTES AND RAIN FALL

Fertilisation:	11-52-0 (31 kg/ha): May 23
Pesticides:	• Trico (6.07 L/ac): August 18 • Reglone Ion (0.83 L/ac): September 8
Harvesting:	September 15, 2025

Month	Precipitation (mm)
May	7.9
June	78.4
July	69.0
August	43.3
September	4.4
TOTAL	203.0

Table 1. Summary of yields per treatment

Treatment	Yield (bu/ac)	Yield increase (bu/ac)
Untreated check	63.0	-
AGTIV THRIVE® PEA & LENTIL	67.1	4.1
Competitor inoculant D	69.4	6.4

► PLOT TRIAL

Research partner:	ICMS
Research site:	Josephburg, AB
Treatments*:	a) Untreated check; b) AGTIV THRIVE® PEA & LENTIL; c) Competitor inoculant D.
	*Products applied according to the manufacturer's recommended rate.
Experimental design:	Randomized Complete Block Design 8 repetitions, 29.28 m ² plots
Variety:	CDC Canary
Previous crop:	Barley
Seeding details:	Seeded on May 15 with a cone planter at a rate of 225 kg/ha in a loam soil (pH: 6.2, OM: 7.9%). Emergence on May 29.

OPERATIONAL NOTES AND RAIN FALL

Fertilisation:	Blend of 46-0-0 (92 kg/ha) + 11-52-0 (63 kg/ha) + 16-0-0-40 (84 kg/ha): May 15
Pesticides:	- Odyssey NXT (43 g/ha): June 4 - Poast Ultra (0.19 L/ac): June 4 - Merge (0.5/100 L): June 4 and August 20 - Select (0.38 L/ha): June 22 - Roundup (1.25 L/ha): August 20 - Heat LQ (0.146 L/ha): August 20
Harvesting:	September 4, 2025

Table 1. Summary of yields per treatment

Treatment	Yield (bu/ac)	Yield increase (bu/ac)
Untreated check	54.4	-
AGTIV THRIVE® PEA & LENTIL	56.7	2.3
Competitor inoculant D	55.8	1.4

Month	Precipitation (mm)
May	18.6
June	72.0
July	64.8
August	63.7
TOTAL	219.1

► PLOT TRIAL

Research partner:	Olds College Centre for Innovation (OCCI)
Research site:	Olds, AB
Treatments*:	a) Untreated check; b) AGTIV THRIVE® PEA & LENTIL; c) Competitor inoculant D.
	*Products applied according to the manufacturer’s recommended rate.
Experimental design:	Randomized Complete Block, 8 repetitions, 12 m² plots
Variety:	CDC Spectrum
Previous crop:	Barley (hay)
Seeding details:	Seeded on May 28 with a plot drilling machine at a rate of 88 plants/m² in a loam soil (pH: 7.2, OM: 7.3%). Emergence on June 4.

OPERATIONAL NOTES AND RAIN FALL

Fertilisation:	12-51-0 (25 kg/ha): May 28
Pesticides:	• Viper ADV (0.404 L/ac): At the 4 th internode stage • UAN (0.81 L/ac): At the 4 th internode stage

Harvesting:	September 9, 2024												
	<table><tr><th>Month</th><th>Precipitation (mm)</th></tr><tr><td>May</td><td>69</td></tr><tr><td>June</td><td>72.8</td></tr><tr><td>July</td><td>21</td></tr><tr><td>August</td><td>70.8</td></tr><tr><td>TOTAL</td><td>233.6</td></tr></table>	Month	Precipitation (mm)	May	69	June	72.8	July	21	August	70.8	TOTAL	233.6
Month	Precipitation (mm)												
May	69												
June	72.8												
July	21												
August	70.8												
TOTAL	233.6												

Table 1. Summary of yields per treatment

Treatment	Yield (bu/ac)	Yield increase (bu/ac)
Untreated check	70.7	-
AGTIV THRIVE® PEA & LENTIL	75.5	4.8
Competitor inoculant D	74	3.3

EFFICACY REPORT
2023 – MYCORRHIZAL & RHIZOBIAL INOCULANT

► PLOT TRIAL

Research partners: New Era Ag Research

Research sites: Swan River, MB

Treatments: a) Untreated check;
b) AGTIV THRIVE® PEA & LENTIL;
c) Competitor inoculant B.

*Products applied according to the manufacturer's recommended rate.

Experimental design: Randomized Complete Block,
6 repetitions, 16.95 m² plots

Variety: Inca treated with Insure Pulse

Previous crop: Wheat

Seeding details: Seeded on May 13 with a direct drill seeder at a rate of 240 lb/ac in a loam soil (pH: 6.9, OM:4.8%).
Emergence on May 24.

OPERATIONAL NOTES AND RAIN FALL

Fertilisation: 11-52-0 (38 lb/ac): May 13

Pesticides: • Arrow-All-In-One (100 mL/ac): June 2
• Coragen (101 mL/ac): June 2
• Viper ADV (400 mL/ac): June 8
• Delaro (356 mL/ac): June 30

Harvesting: August 15, 2023

Month	Precipitation (mm)
May	19.7
June	45.3
July	33.0
August	118.2
TOTAL	216.2

Table 1. Summary of yields per treatment

Treatment	Yield (bu/ac)	Yield increase (bu/ac)
Untreated check	53.6	-
AGTIV THRIVE® PEA & LENTIL	57.2	3.6
Competitor inoculant B	58.4	4.8



EFFICACY REPORT
2022 – MYCORRHIZAL & RHIZOBIAL INOCULANT

► PLOT TRIAL

Research partner:	ICMS
Research site:	Josephburg, AB
Treatments:	a) Untreated check; b) AGTIV THRIVE® PEA & LENTIL; c) Competitor inoculant B*.
	*Products applied according to the manufacturer's recommended rate.
Experimental design:	Randomized Complete Block Design, 8 repetitions, 15 m² plots.
Variety:	Stricker
Previous crop:	Fallow
Seeding details:	Seeded on June 20, with a cone seeder at a rate of 160 kg/ha in a loam soil (pH: 5.7, OM: 8%). Emergence on July 3.

OPERATIONAL NOTES AND RAIN FALL

Fertilisation:	NPKS 80-30-20-20 kg/ha: pre seeding	
Pesticides:	• Merge: June 1 • Odyssey: June 1 • Roundup WeatherMax: June 1	
Harvesting:	September 2022	

Month	Precipitation (mm)
June	109.3
July	35
August	34.4
September	10.6
TOTAL	189.3

Table 1. Summary of yields per treatment

Treatment	Yield (bu/ac)	Yield increase (bu/ac)	Protein content (%)
Untreated check	44.1	-	21.3
AGTIV THRIVE® PEA & LENTIL	45.4	1.3	22.2
Competitor inoculant B	46.6	2.5	20.9

EFFICACY REPORT
2022 – MYCORRHIZAL & RHIZOBIAL INOCULANT



► PLOT TRIAL

Research partners: ICMS

Research sites: Saskatoon, SK

Treatments: a) Untreated check;
b) AGTIV THRIVE® PEA & LENTIL;
c) Competitor inoculant B*.

*Products applied according to the manufacturer's recommended rate.

Experimental design: Randomized Complete Block Design,
8 repetitions, 15 m² plots.

Variety: ACC Ardill

Previous crop: Wheat

Seeding details: Seeded on May 26, with a cone seeder at a rate of 225 kg/ha in a
clay soil (pH: 8, OM: 8.8%).
Emergence on June 15.

Table 1. Summary of yields per treatment

Treatment	Yield (bu/ac)	Yield increase (bu/ac)	Protein content (%)
Untreated check	34.8	-	17.5
AGTIV THRIVE® PEA & LENTIL	36.4	1.6	18.0
Competitor inoculant B	35.8	1.0	17.1

OPERATIONAL NOTES AND RAIN FALL

Fertilisation: 80-20-10-20 kg/ha NPKS pre seeding + 28% Urea
Ammonium Nitrate on July 4

Pesticides: • Viper ADV: July 4
• Reglone Ion: August 31

Harvesting: September 6, 2022

Month	Precipitation (mm)
May	25.8
June	38.0
July	46.5
August	25.6
TOTAL	135.9

► PLOT & STRIP TRIALS

Research partner:	Ag-Quest
Research site:	Saskatoon, SK
Treatments:	a) Untreated check; b) AGTIV THRIVE® PEA & LENTIL ; c) Competitor inoculant B*.
	*Products applied according to the manufacturer's recommended rate.
Experimental design:	Randomized Complete Block Design, 6 repetitions, 8.2 m² plots.
Variety:	CDC Spectrum
Previous crop:	Oats
Seeding details:	Seeded on May 27, 2022, with a cone seeder and a techno till drill opener at a rate of 160 kg/ha in a loam soil (pH: 5.8, OM: 3.5%). Emergence on June 3.

OPERATIONAL NOTES AND RAIN FALL

Fertilisation:	11-52-0 side banded (72 kg/ha)
Pesticides:	• Aim EC: May 11 • Roundup WeatherMax: May 11 • Centurion: June 8 • Basagran Forté: June 21, July 4 & 12 • Assure II: June 21, July 4 & 12 • Matador herbicide: August 6 • Reglone Ion: August 16
Harvesting:	August 24, 2022

Table 1. Summary of yields per treatment

Treatment	Yield (bu/ac)	Yield increase (bu/ac)
Untreated check	27.2	-
AGTIV THRIVE® PEA & LENTIL	30.7	3.5
Competitor inoculant B	28.8	1.6

Month	Precipitation (mm)
May	27.3
June	37.1
July	41.3
August	15.8
TOTAL	121.5

► PLOT TRIAL

Research partner: New Era Ag Research

Research site: Swan River, MB

Treatments: a) Untreated check;
b) AGTIV THRIVE® PEA & LENTIL*;
c) Competitor inoculant B*.

*Products applied according to the manufacturer's recommended rate.

Experimental design: Randomized Complete Block Design,
6 repetitions, 15 m² plots.

Variety: Inca

Previous crop: Canola

Seeding details: Seeded on May 24, with a cone seeder at a rate
of 286 kg/ha in a clay loam soil (pH: 6.5, OM: 5.3%).
Emergence on June 3.

OPERATIONAL NOTES AND RAIN FALL

Fertilisation: MAP 11-52-0 on May 25 (47 kg/ha)

Pesticides:

- Coragen: June 9
- Pounce: June 9
- Viper ADV: June 22
- Priaxor: July 18
- Guardsman : August 25

Harvesting: August 31, 2022

Month	Precipitation (mm)
May	14.5
June	80.0
July	32.3
August	48.8
September	58.9
TOTAL	234.5

Table 1. Summary of yields per treatment

Treatment	Yield ¹ (bu/ac)	Yield increase (bu/ac)
Untreated check	85.3 ^b	-
AGTIV THRIVE® PEA & LENTIL	91.5 ^a	6.2
Competitor inoculant B	87.1 ^b	1.8

¹ Yields with same letter are not statistically different according to a Tukey HSD test (p≤0.1).

EFFICACY REPORT

2021 – MYCORRHIZAL & RHIZOBIAL INOCULANT

**AGTIV****THRIVE**

► PLOT TRIAL

Research partner: ICMS

Research site: Portage la Prairie, MB

Treatments: a) Untreated check;
b) AGTIV® PULSES • Granular*;
c) Competitor inoculant B*.

*Products applied according to the manufacturer's recommended rate.

Experimental design: Randomized Complete Block Design,
6 repetitions, 24.4 m² plots.

Variety: Carver

Previous crop: Wheat

Seeding details: Seeded on June 3, with a cone seeder at a rate of
200 kg/ha.

Table 1. **Summary of yields per treatment**

Treatment	Yield (bu/ac)	Yield increase (bu/ac)	Protein content (%)
Untreated check	41.6	-	17.8
AGTIV® PULSES • Granular	45.2	3.6	18.4
Competitor inoculant B	41.3	-	17.8

OPERATIONAL NOTES AND RAIN FALL

Fertilisation: None

Pesticides:

- Viper ADV: June 25
- Basagran Forte: July 14
- Assure II: July 14
- Cygon: July 27

Harvesting: September 1, 2021

Month	Precipitation (mm)
June	90.0
July	78.4
August	68.3
TOTAL	236.7

► PLOT TRIAL

Research partner:	ICMS
Research site:	Saskatoon, SK
Treatments:	a) ALPINE G22™ Liquid*; b) ALPINE G22™ and AGTIV® COMBO • Liquid for PULSES*; c) ALPINE G22™ and Competitor inoculant A*; d) ALPINE G22™ and Competitor inoculant D*.
	*Products applied according to the manufacturer's recommended rate.
Experimental design:	Randomized Complete Block Design, 6 repetitions.
Variety:	AAC Ardill
Previous crop:	Wheat
Seeding details:	Seeded with a cone seeder June 1 at 201 lb/ac with a 15.2 cm row spacing. Products were applied in-furrow.

OPERATIONAL NOTES AND RAIN FALL

Fertilisation:	Urea 28% (0.8 lb/ac): July 12
Pesticides:	• Viper: July 12 • Centurion: July 29 • Matador: July 8 and 13

Harvesting:	Combined with a small plot combine on October 11, 2019.
-------------	---

Table 1. Summary of yields per treatment

Treatment	Yield (bu/ac)	Yield (kg/ha)
ALPINE G22™ Liquid	56.0	3766
ALPINE G22™ and AGTIV® COMBO • Liquid for PULSES	65.0	4371
ALPINE G22™ and Competitor inoculant A	52.3	3517
ALPINE G22™ and Competitor inoculant D	63.2	4250

EFFICACY REPORT
2017 – MYCORRHIZAL & RHIZOBIAL INOCULANT

► STRIP TRIAL

Research partner: Down to Earth + PAMI

Research site: Saskatoon, SK

Treatments: a) AGTIV® PULSES • Granular applied at 5.0 lb/ac + Taurus Advanced Acre™* (TAA) + fungicide application;
b) AGTIV® RHIZO • Granular for PULSES in granular form applied at 4.0 lb/ac + Designed Fertility Program**.

Experimental design: 2 replicated strips for a total of 610 ft² per treatment.

Variety: Meadow

Previous crop: Canola / oats split

Seeding details: Seeded May 20, at 3 bu/ac at 10 in row spacing using Seed Master plot Drill by Down to Earth.

Table 1. Summary of yields per treatment

Treatment	Yield (bu/ac)	Yield (kg/ha)
AGTIV® PULSES • Granular (dual inoculant) + TAA* + Fungicide	48.1	3235
AGTIV® RHIZO • Granular for PULSES (single inoculant) + Designed Fertility Program**	35.8	2408

OPERATIONAL NOTES AND RAIN FALL

Fertilisation: Seed placed 2-15-0 -0 lb/ac
Side band 17-20-15-15 lb/ac

Month	Precipitation (mm)
TOTAL	100.4

Pesticides: • Viper (400 mL/ac): 5 node Stage
• UAN (81 mL/ac): 5 node Stage

Harvesting: Combined on August 25, with a Wintersteiger and weighed & moisture averaged by PAMI.

* The Taurus Advanced Acre™: Using the Designed Fertility Program with the addition of key Taurus solutions.
** Designed Fertility Program: a calculated fertility program based on soil tests and targeted yield. Target yield for Peas was 60 bu/ac

EFFICACY REPORT
2017 – MYCORRHIZAL & RHIZOBIAL INOCULANT

► PLOT TRIAL

Research partner: Wheatland Conservation Area Inc.

Research site: Swift Current, SK

Treatments: a) AGTIV® PULSES • Granular applied at 5 lb/ac*;
b) AGTIV® RHIZO • Granular for PULSES applied at 4 lb/ac*;
c) Competitor inoculant A applied at 3.6 lb/ac*;
d) Competitor inoculant B applied at 3.6 lb/ac*;
e) Competitor inoculant C applied at 4.0 lb/ac*;
f) Competitor inoculant E applied at 5.0 lb/ac*.

*Products applied according to the manufacturer’s recommended rate.

Experimental design: Randomized Complete Block Design, 6 repetitions.

Variety: Amarillo, seeded at 200 lb/ac.

Previous crop: Canola

Seeding details: Seeded May 24, at 9 in row spacing using Fabro plot drill.
Preseed burnoff with Clean Start at 1 L/ac and Aim at 30 mL/ac.

OPERATIONAL NOTES AND RAIN FALL

Fertilisation: 98 lb/ac of 11-52-0 sidebanded

Pesticides: • Viper ADV (400 mL/ac)
• Poast Ultra (190 mL/ac)
• UAN (810 mL/ac)

Harvesting: Combined on August 17, with Wintersteiger plot combine.

Month	Precipitation (mm)
May	32.1
June	35
July	4
August	28
September	3
TOTAL	102.1

Table 1. Summary of yields per treatment

Treatment	Yield (bu/ac)	Yield (kg/ha)
AGTIV® PULSES • Granular (dual inoculant)	14.0	942
AGTIV® RHIZO • Granular for PULSES (single inoculant)	13.1	881
Competitor inoculant A	12.7	854
Competitor inoculant B	12.4	834
Competitor inoculant C	13.2	888
Competitor inoculant E	12.3	827

EFFICACY REPORT
2015 – MYCORRHIZAL & RHIZOBIAL INOCULANT

► PLOT TRIAL

Research partner: ICMS

Research site: Fort Saskatchewan, AB

Treatments: a) AGTIV® PULSES • Granular applied at 5 lb/ac*;
b) Competitor inoculant A applied at 3.3 lb/ac*;
c) Competitor inoculant B applied at 3.3 lb/ac*.

*Products applied according to the manufacturer's recommended rate.

Experimental design: Randomized Complete Block Design, 5 repetitions.

Variety: Meadows

Previous crop: Canola

Seeding details: Seeded on May 21, at 15.2 cm row spacing.

OPERATIONAL NOTES AND RAIN FALL

Fertilisation: None

Pesticides: In season maintenance:
• Odyssey (17 g/ac – 35%)
• Equinox (67 mL/ac)
• Edge (0.5%)

Harvesting: Combined with Wintersteiger Elite plot combine on Sept 25, 2015.

Month	Precipitation (mm)
May	37.3
June	59.7
July	108.6
August	10.3
September	71.1
TOTAL	287

Table 1. Summary of yields per treatment

Treatment	Yield (bu/ac)	Yield (kg/ha)
AGTIV® PULSES • Granular (dual inoculant)	88.6	5958
Competitor inoculant A	86.2	5797
Competitor inoculant B	79.5	5347

Table 2. Summary of yields per treatment

Treatment	Yield (bu/ac)	Yield (kg/ha)
AGTIV® PULSES • Granular (dual inoculant)	88.6	5958
Competitor inoculant A	86.2	5797
Competitor inoculant B ¹	85.8	5770

¹ One replication from the competitor inoculant B treatment yielded very low and has a negative impact on the treatment average. The data below represents the average of the competitor inoculant B treatment without the very low yielding rep for a total of four reps for the competitor inoculant B average yield.

EFFICACY REPORT 2026

CONTACT OUR DEDICATED TEAM TODAY.
WE CARE ABOUT YOUR SUCCESS!



PEOPLE AND TECHNOLOGIES MAKING A DIFFERENCE

At Premier Tech, we are all about making a difference by connecting People and Technologies for more than 100 years. One team driven by a shared will to deliver sustainable solutions that help feed, protect and improve our world. Premier Tech has a wide range of products, services, brands, and technologies allowing to increase crop yields, bring beautiful gardens to life, automate the handling and packaging operations of many manufacturing facilities, treat and recycle water, support companies in their digital transformation, and offer bio-ingredients for the well-being of humans and animals.



PT Growers and Consumers

World Headquarters
1 avenue Premier
Campus Premier Tech
Rivière-du-Loup (Québec)
G5R 6C1 CANADA



PTAGTIV.COM
1 866 454-5867
info@ptagtiv.com

The information in this document was up-to-date at the time of printing. Because of its continuous improvement policy, Premier Tech Ltd. and its affiliated companies reserve the right to halt manufacturing, change products, or revise technical data and prices without further warning or liability. Printed in Canada. © 2026 Premier Tech Ltd. All rights reserved. AGTIV®, AGTIV ENRICH®, AGTIV FUEL®, AGTIV IGNITE®, AGTIV REACH®, AGTIV STIMULATE® and AGTIV THRIVE® are registered trademarks of Premier Tech Ltd.; they are used under license by Premier Horticulture Ltd.

RD20260219